

- 가 3
- KVM** 3
 - Windows KVM Driver 3
- Proxmox** 3
- RHEV / oVirt** 3
 - RHEV 2.x 4
 - RHEV 3.x 4
 - RHV 4.x 4
- VMWARE** 5
 - HP 5
- Hyper-V** 5

가

Opensource VDI solutions

- RavadaVDI - <https://ravada.upc.edu/>
- flexVDI - <https://flexvdi.com/>
- [Proxmox VS vmware](#)

KVM

- <https://libvirt.org/formatdomain.html> libvirt xml format document
- [KVM - Management Tools](#)
- [KVM - Wok/kimchi Manager](#)
- [Nested Virtualization](#)
- [Nested KVM](#)
- [KVM CLI](#)
- [VirtualBMC \(vbmcc\)](#)
- [libvirt Network](#)
- [RHEL_CLOUD_QCOW_](#)
- [SPICE/VNC Listen Address](#)
- [qemu-img create](#)
- [UEFI Secure boot in Libvirt](#)
- [KSM\(Kernel Same-page Merging\) disable](#)
- [PCI-Passthrough KVM](#)
- [PCI-Passthrough Problem](#)
- [Virtual Network](#)

Windows KVM Driver

- https://www.linux-kvm.org/page/WindowsGuestDrivers/Download_Drivers
- <https://docs.fedoraproject.org/en-US/quick-docs/creating-windows-virtual-machines-using-virtio-drivers/index.html>
- <https://github.com/virtio-win/virtio-win-pkg-scripts/>

Proxmox

- [Proxmox VM CPU type 'host'](#)
- [Remove Proxmox Subscription Notice](#)
- [KSM\(Kernel Same-page Merging\) disable](#)

RHEV / oVirt

- [RHEV / oVirt Shell CLI](#)

- [Red Hat Virtualization Life Cycle](#)
- [Host compatibility matrix](#)
- [migration bandwidth](#)
- [Internal User Management](#)
- [Storage Metadata Version](#)
- [RHEV 3.0 -> 4.1 Upgrade Process](#)
- [RHEV Upgrade live migration](#)
- [Host USB Passthrough to RHEV Guests](#)
- [VMs lost network connectivity after RHEL Hypervisor upgraded to 6.7](#)
- [jboss engine heap size](#)
- [RHV / oVirt](#)
- [RHEV Upgrade](#)

RHEV 2.x

- [RHEV 2.2 Server](#)
- [RHEV 2.2 Desktop](#)
- [RHEV 2.2/3.0 - Trust not granted](#)
- [RHEV 2.2 File](#)
- [RHEV 2.2 /](#)
- [RHEV 2.2](#)
- [RHEV 2.2](#)
- [RHEV 2.2 -> 3.0 Manager Migrating](#)

RHEV 3.x

- [RHEV - Offline](#)
- [RHEV - Network QoS](#)
- [RHEV - SelfHosted NFS Host Reboot/Shutdown NFS Unmount](#)
- [Hosted Engine change spec](#)
- [Hypervisor SSH](#)
- [RHEV 3.6 Backup / Restore](#)
- [RHEV](#)
- [Fencing](#)
- [RHEV Hot Swap / Hot Plug Support](#)
- [RHEV 3.x Upgrade](#)
- [RHEV Self-Hosted Backup/Restore](#)
- [RHEV 3.6 -> 4.0 Upgrade](#)
- [Master Storage domain](#)
- [VM](#)
- [Bare-Metal Hypervisor edit file to persist -](#)
- [RHEV 3.6 hosted-engine gateway](#)

RHV 4.x

- [engine-config.properties](#)
- [There is no full backup available](#)

- Failed to check for available updates on host
- Guest Agent Driver
- Hypervisor kickstart script
- How to add additional vNICs to a hosted-engine VM in RHV 4.X
- RHV 4.x
- RHV 4.x vacuumdb command not found

VMWARE

- VMWARE scsi_id
- ESXi Nested Hypervisor
- VMWARE POST
- ESXi fence_vmware_soap
- ESXi host patch/update
- ESXi Realtek Driver 가
- ESXi
- RDM(Raw Device Mapping)
- ESXi S.M.A.R.T
- ESXi VM MAC Address
- ESXi SSH/SCP

HP

HP VMware

- HP Microserver VMWare ESXi Download
- HP vibsdepot
- <https://x1fingers.asuscomm.com/wordpress/gen8-esxi-disk-performance-issue/>
- B120i
- SPP HP Microserver Gen8 April 2017

Hyper-V

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

<https://atl.kr/dokuwiki/doku.php/%EA%B0%80%EC%83%81%ED%99%94?rev=1677763805>

Last update: **2023/03/02 13:30**

