

- 가 **LVM (HA LVM)** 3
- CLVM HA-LVM ()** 3
 - CLVM 3
 - 3
- LVM Tagging** 3
 - LVM Tagging 3
 - 3
- initrd 4
 - 4
- RHEL7 HA-LVM With Pacemaker** 4

가 LVM (HA LVM)

CLVM HA-LVM ()

CLVM

- /etc/lvm/lvm.conf locking_type 3
- clvmd
- clvm cmirror

```
# pvcreate /dev/sd[cde]1
# vgcreate -cy shared_vg /dev/sd[cde]1 # <-
# lvcreate -L 10G -n ha_lv shared_vg
# mkfs.ext4 /dev/shared_vg/ha_lv
# lvchange -an shared_vg/ha_lv # <- active no
```

LVM Tagging

LVM Tagging

- /etc/lvm/lvm.conf locking_type 1

```
/etc/lvm/lvm.conf volume_list
/etc/cluster/cluster.conf root . lvm.conf @
cluster.conf
```

```
/etc/lvm/lvm.conf :
```

```
volume_list = [ "LocalVolumeGroup", "@HOSTNAME" ]
```

 volume_list VG

initrd

```
dracut -H -f /boot/initramfs-$(uname -r).img $(uname -r)
```

RHEL7 HA-LVM With Pacemaker

- <https://access.redhat.com/solutions/3067>

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:

https://atl.kr/dokuwiki/doku.php/%EA%B3%A0%EA%B0%80%EC%9A%A9%EC%84%B1_lvm_ha_lvm

Last update: **2020/12/10 03:28**

