

- 가 **LVM (HA LVM)** 3
- CLVM HA-LVM** () 3
- CLVM 3
- 3
- LVM Tagging** 3
- LVM Tagging 3
- 3
- initrd 3
- 3

가 LVM (HA LVM)

CLVM HA-LVM ()

CLVM

- /etc/lvm/lvm.conf locking_type 3
- clvmd
- clvm cmirrord

```
# pvcreate /dev/sd[cde]1
# vgcreate -cy shared_vg /dev/sd[cde]1 # <-
# lvcreate -L 10G -n ha_lv shared_vg
# mkfs.ext4 /dev/shared_vg/ha_lv
# lvchange -an shared_vg/ha_lv # <- active no
```

LVM Tagging

LVM Tagging

- /etc/lvm/lvm.conf locking_type 1

```
/etc/lvm/lvm.conf volume_list . /etc/cluster/cluster.conf
root @
lvm.conf cluster.conf
/etc/lvm/lvm.conf :
```

```
volume_list = [ "TAGGED VolumeGroup", "@HOSTNAME" ]
```

initrd

```
dracut -H -f /boot/initramfs-$(uname -r).img $(uname -r)
```

Last update: 2017/02/13 07:33 가 _lvm_ha_lvm https://atl.kr/dokuwiki/doku.php/%EA%B3%A0%EA%B0%80%EC%9A%A9%EC%84%B1_lvm_ha_lvm?rev=1486971216

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/%EA%B3%A0%EA%B0%80%EC%9A%A9%EC%84%B1_lvm_ha_lvm?rev=1486971216

Last update: **2017/02/13 07:33**

