

- 가 **LVM (HA LVM)** ..... 3
- CLVM HA-LVM ( )** ..... 3
  - CLVM ..... 3
  - ..... 3
- LVM Tagging** ..... 3
  - LVM Tagging ..... 3
  - ..... 3
- initrd ..... 4
  - ..... 4
- RHEL7 HA-LVM With Pacemaker** ..... 4



# 가 LVM (HA LVM)

## CLVM HA-LVM ( )

### CLVM

- /etc/lvm/lvm.conf locking\_type 3
- clvmd
- clvm cmirrord

```
# pvcreate /dev/sd[cde]1
# vgcreate -cy shared_vg /dev/sd[cde]1 # <-
# lvcreate -L 10G -n ha_lv shared_vg
# mkfs.ext4 /dev/shared_vg/ha_lv
# lvchange -an shared_vg/ha_lv # <- active no
```

## LVM Tagging

### LVM Tagging

- /etc/lvm/lvm.conf locking\_type 1



```
volume_list = [ "LocalVolumeGroup", "@HOSTNAME" ]
```

 volume\_list VG

## initrd

```
dracut -H -f /boot/initramfs-$(uname -r).img $(uname -r)
```

## RHEL7 HA-LVM With Pacemaker

- <https://access.redhat.com/solutions/3067>

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: [https://atl.kr/dokuwiki/doku.php/%EA%B3%A0%EA%B0%80%EC%9A%A9%EC%84%B1\\_lvm\\_ha\\_lvm?rev=1543902010](https://atl.kr/dokuwiki/doku.php/%EA%B3%A0%EA%B0%80%EC%9A%A9%EC%84%B1_lvm_ha_lvm?rev=1543902010)

Last update: **2018/12/04 05:40**

