

|                                   |   |
|-----------------------------------|---|
| .....                             | 3 |
| <b>L2/L3 Switch</b> .....         | 3 |
| <b>PXE</b> .....                  | 3 |
| <b>OVS (OpenvSwitch)</b> .....    | 3 |
| <b>firewalld / iptables</b> ..... | 3 |
| .....                             | 4 |



- Reserved IP address
- DHCP
- Diskless Client
- ISP IPTV Network Address
- Linux Network Bonding - fail\_over\_mac
- VPN
- Linux bond/team /
- DPI(Deep Packet Inspection)
- DHCP
- Multiple Gateway
- Cisco PXE 가
- Intel Ethernet Configure SR-IOV and Create a Set of Virtual Functions
- DPDK vs SR-IOV

## L2/L3 Switch

- Cisco Switch

## PXE

- <https://www.tecmint.com/install-pxe-network-boot-server-in-centos-8/>
- PXE Boot
- PXE Server - UEFI
- PXE Server dnsmasq - UEFI

## OVS (OpenvSwitch)

- <https://man7.org/linux/man-pages/man8/ovs-vsctl.8.html> ovs-vsctl man page
- ovs for legacy network-script
- CentOS 7 ovs
- openvswitch vxlan

## firewalld / iptables

- Routing Forwarding
- iptables SSH port 가

- &
- ip
- 

•

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!



Permanent link:

<https://atl.kr/dokuwiki/doku.php/%EB%84%A4%ED%8A%B8%EC%9B%8C%ED%81%AC>

Last update: **2023/10/27 01:44**