


..... 3



_____ /usr/share/cluster/*.sh

Apache	Apache.sh
Bind Mount	bind-mount.sh
Condor Instance	condor.sh
Filesystem	fs.sh
GFS2	clusterfs.sh
IP Address	ip.sh
HA LVM	lvm.sh
MySQL	mysql.sh
Named (Bind 9) Resource	named.sh
NFS/CIFS Mount	netfs.sh
NFS Client	nfsclient.sh
NFS v3 Export	nfsexport.sh
Oracle 10g/11g Failover Instance	oracledb.sh
Oracle 10g/11g Instance	orainstance.sh
Oracle 10g/11g Listener	oralistener.sh
Open LDAP	openldap.sh
PostgreSQL 8	postgres-8.sh
SAP Database	SAPDatabase
SAP Instance	SAPInstance
Samba Server	samba.sh
Script	script.sh
Sybase ASE Failover Instance	ASEHAagent.sh
Tomcat 6	tomcat-6.sh
Virtual Machine	vm.sh

_____ **shell script** _____ rhcs v-init script

start|stop|status|restart|

0

0 _____

1 :

http://refspecs.linux-foundation.org/LSB_3.2.0/LSB-Core-generic/LSB-Core-generic/inisrptact.html

2 : http://linux-ha.org/wiki/LSB_Resource_Agents

Last update: 2015/06/18 15:49 https://atl.kr/dokuwiki/doku.php/%EB%A6%AC%EC%86%8C%EC%8A%A4_%EA%B5%AC%EC%84%B1%EC%82%AC%ED%95%AD?rev=1429854644

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/%EB%A6%AC%EC%86%8C%EC%8A%A4_%EA%B5%AC%EC%84%B1%EC%82%AC%ED%95%AD?rev=1429854644

Last update: 2015/06/18 15:49

