

<b>Linux</b>	.....	3
	.....	3
	.....	4
RedHat	.....	4
Debian	.....	5
Slackware	.....	5
<b>MS Windows</b>	.....	5
<b>UNIX</b>	.....	5



# Linux

- IBM Linux : <https://developer.ibm.com/technologies/linux/>
- man pages
- Linux Tip & Tech

---

<b>1</b>	<b>DM-Multipath</b>	<b>2</b>	<b>LVM</b>
<b>3</b>		<b>4</b>	<b>HAProxy</b>
<b>5</b>	<b>Samba</b>	<b>6</b>	<b>Systemd</b>
<b>7</b>	<b>selinux</b>	<b>8</b>	<b>bash script</b>
<b>9</b>	<b>rsyslog</b>	<b>10</b>	<b>Vim</b>
<b>11</b>	<b>iSCSI</b>	<b>12</b>	

---

- Linux Version rule
- Linux Daemon
- Linux Kernel Parameter
- Linux Kernel Parameter - Network
- Linux Kernel Parameter - Dirty
- Linux
- alternative default java
- 
- SSH - SFTP
- SSH -
- Linux Zombie Process
- 
- Linux logrotate
- THP(Transparent Huge Pages)
- ISO
- Multiple Gateway
- 
- 
- chrony
- IP Multicast
- shopt
- dmesg
- slew mode
- vmcore
- Linux FC SAN target

- SetUID, SetGID, Sticky Bit
- parted 2TB gpt
- Reverse SSH Tunneling
- machine-id
- SSHFS
- Id cannot find -l<LIBRARY>
- Clocksource tsc unstable (delta = xxxx ns)
- Linux vfs\_cache\_pressure
- Unknown Device
- du, df , ls , 가
- Linux bond/team /
- Linux disk device rescan
- iSCSI
- 
- Unable to autolaunch a dbus-daemon
- libGL error, failed to load driver, swrast
- Linux time UTC KST RTC
- bash profile
- rpm
- Python(pip)
- pip(python package manager) Local Repository
- 
- 
- HW
- disk LVM
- sftp last
- ls
- console login Permission denied
- / - incrontab
- 
- root
- run level
- NFS
- 
- &
- 
- HW\_
- SSH
- find
- rsync
- mount

## RedHat

- <https://access.redhat.com/product-life-cycles/>

- RHEL(RedHat Enterprise Linux)
- RHCS
- CentOS
- Fedora
- Mandriva

## Debian

- Debian
- Ubuntu
- KNOPPIX
- Linux Mint

## Slackware

- SlackWare
- SUSE
- Gentoo

## MS Windows

- Windows Server
- Windows

## UNIX

- AIX Opensource Archive

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
<https://atl.kr/dokuwiki/doku.php/%EC%9A%B4%EC%98%81%EC%B2%B4%EC%A0%9C?rev=1680061319>

Last update: 2023/03/29 03:41

