

**Linux**

.....

.....

.....

RedHat .....

Debian .....

Slackware .....

**MS Windows** .....

**UNIX** .....

3

3

5

5

5

5

6

6



# Linux

- IBM Linux : <https://developer.ibm.com/technologies/linux/>
- [man pages](#)
- [Linux Tip & Tech](#)

|    |              |    |             |
|----|--------------|----|-------------|
|    |              |    |             |
| 1  | DM-Multipath | 2  | LVM         |
| 3  |              | 4  | HAProxy     |
| 5  | Samba        | 6  | Systemd     |
| 7  | selinux      | 8  | bash script |
| 9  | rsyslog      | 10 | Vim         |
| 11 | iSCSI        | 12 | Keepalived  |

- [Linux Version rule](#)
- [Linux Daemon](#)
- [Linux Kernel Parameter](#)
- [Linux Kernel Parameter - Network](#)
- [Linux Kernel Parameter - Dirty](#)
- [Linux](#)
- [alternative default java](#)
- [SSH - SFTP](#)
- [SSH -](#)
- [Linux Zombie Process](#)
- 
- [Linux logrotate](#)
- [ISO](#)
- 
- 
- [chrony](#)
- [shopt](#)
- [dmesg](#)
- [slew mode](#)
- [vmcore](#)
- [SetUID, SetGID, Sticky Bit](#)
- [machine-id](#)
- [ld cannot find -l<LIBRARY>](#)
- [Clocksource tsc unstable \(delta = xxxx ns\)](#)

- Unable to autolaunch a dbus-daemon
- libGL error, failed to load driver, swrast
- Linux time UTC KST RTC
- bash profile
- rpm
- Python(pip)
- pip(python package manager) Local Repository
- sftp last
- ls
- console login Permission denied
- / - incrontab
- Grub boot kernel argument
- single user mode
- Failed to mount /sysroot
- 
- tmpfs /tmp
- alternative
- 

## / Installation

- kickstart

## Disk / Partition / FileSystem

- 
- 
- Linux disk device rescan
- du, df, ls, 가
- disk LVM
- 
- Linux FC SAN target
- parted 2TB gpt
- parted /dev/sdb LVM
- SSHFS
- Unknown Device
- iSCSI

## Network

- Linux bond/team /
- tcpdump nic name
- Multiple Gateway
- IP Multicast
- Reverse SSH Tunneling
- sshd: no hostkeys available
-

/

- [HW](#)
- 
- [THP\(Transparent Huge Pages\)](#)
- [Linux](#) [vfs\\_cache\\_pressure](#)
- [tuned](#) [power-profiles-daemon](#)

- 
- [root](#)
- [run level](#)
- [NFS](#)
- 
- [&](#)
- 
- [HW\\_](#)
- [SSH](#)
- [find](#)
- [rsync](#)
- [mount](#)

## RedHat

- <https://access.redhat.com/product-life-cycles/>
- [RHEL\(RedHat Enterprise Linux\)](#)
- [RHCS](#)
- [Rocky Linux](#)
- [CentOS](#)
- [Fedora](#)
- [Mandriva](#)

## Debian

- [Debian](#)
- [Ubuntu](#)
- [KNOPPIX](#)
- [Linux Mint](#)

## Slackware

- [SlackWare](#)
- [SUSE](#)
- [Gentoo](#)

## MS Windows

- [Windows Server](#)
- [Windows](#)

## UNIX

- [AIX Opensource Archive](#)

From:  
<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:  
<https://atl.kr/dokuwiki/doku.php/%EC%9A%B4%EC%98%81%EC%B2%B4%EC%A0%9C?rev=1761659105>

Last update: **2025/10/28 13:45**

