

RHEV	Fencing	3
RHEV	HA	3
RHEV	Non-Responsive	3
RHEV	Non-Operational	3
Fencing		3
		3
	VM	3
	Management	3
		4
가 1G 10G VM		4
		4

RHEV Fencing

RHEV HA

RHEV Non-Responsive

- RHEV Management Network RHEV Manager
- RHEV vdsms (, ,)
- Fence : Yes
- VM : No (HA VM Fence)

RHEV Non-Operational

- RHEV Manager 가 vdsms , 가
- Required Network Storage
- Fence : No
- VM : Yes (Cluster Resilience Policy , Paused 가)

Fencing

- Fencing is configured and enabled on the host.
- There should be a valid proxy host (another host in the same data-center in UP status).
- Connection to the host has to time out and should be in non-responsive state.

VM

- : Required , Non-Operational
- : Non-Operational ,

Management

- : Non-Responsive , Fencing
- Management : Non-Responsive , Non-Responsive

- : Non-Operational , VM Paused
- : Non-Operational ,

가 1G 10G VM

- RHEV live-migration 1G, 10G 3
- Bandwidth 가 Bandwidth
- 1G live-migration 가 10G
- max_outgoing_migrations 가

- Fencing Non-Responsive , Non-Responsive Manager가
migration Restart (HA가 , VM 가 Fencing Live-
- Non-Operational Manager가 Network,
Storage VM Live-migration HA VM , Fencing ,
failure Paused , Live-migration IO
- live-migration 3 가 1G 가 , 10G
VM

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/%EC%9E%A5%EC%95%A0_%ED%8C%90%EB%B3%84_%EB%B0%8F_fencing_%EC%83%81%ED%99%A9

Last update: 2016/04/28 03:52

