	3	;
)
initramfs	_	;
rc.local	3	j
	3	í

Last update: 2021/01/27 -https://atl.kr/dokuwiki/doku.php/%EC%BB%A4%EB%84%90_%EB%AA%A8%EB%93%88_%EB%A1%9C%EB%94%A9_%EC%84%A4%EC%A0%95 - 2021/01/27 -

https://atl.kr/dokuwiki/ Printed on 2025/10/10 11:17

RedHat Linux 7/8

/etc/modules-load.d/<name>.conf

```
# Load the below modules at boot
module-1
module-2
module-3
```

systemd-modules-load.service systemd-modules-load.service가

```
# systemctl enable systemd-modules-load
# systemctl restart systemd-modules-load
```

initramfs

https://access.redhat.com/solutions/47028

rc.local

/etc/rc.local

```
modprobe <module-1 name>
modprobe <module-2 name>
modprobe <module-3 name>
```

• https://access.redhat.com/solutions/1609883

From: https://atl.kr/dokuwiki/ - **AllThatLinux!**

Permanent link: https://atl.kr/dokuwiki/doku.php/%EC%BB%A4%EB%84%90_%EB%AA%A8%EB%93%88_%EB%A1%9C%EB%94%A9_%EC%84%A4%EC%A0%95

Last update: 2021/01/27 05:21



https://atl.kr/dokuwiki/ Printed on 2025/10/10 11:17