

..... 3

Find Command 3

..... 3

..... 3

Grep Command 5

..... 5

Find Command

```
find [ path ] [ options ] [ file ]
```

: find / -name '*.c'

```
[root@localhost ~]# find / -name '*.c'
/usr/lib/firmware/iscsi/create_fw.c
/usr/share/doc/systemd/sd-readahead.c
/usr/share/doc/ppp-2.4.5/scripts/chatchat/chatchat.c
```

: find -name '*.c'

```
[root@localhost ~]# find -name '*.c'
./sample.c
```

```
[root@localhost ~]# find -name '*.c'
[root@localhost ~]#
```

: find / -name 'sample'

```
[root@localhost ~]# find / -name 'sample'
/usr/share/doc/ppp-2.4.5/sample
```

: find / -name ' *.*'

```
[root@localhost ~]# find / -name 'sample.*'  
/root/sample.txt  
/root/sample.c  
/usr/share/doc/sudo-1.8.6p7/sample.pam  
/usr/share/doc/sudo-1.8.6p7/sample.sudo.conf  
/usr/share/doc/sudo-1.8.6p7/sample.sudoers  
/usr/share/doc/sudo-1.8.6p7/sample.syslog.conf  
/data/sample.txt
```

: find / -name ' *'

```
[root@localhost ~]# find / -name 'sample*'  
/root/sample.txt  
/root/sample.c  
/usr/share/doc/ppp-2.4.5/sample  
/usr/share/doc/redhat-support-tool-0.9.6/samples  
/usr/share/doc/sudo-1.8.6p7/sample.pam  
/usr/share/doc/sudo-1.8.6p7/sample.sudo.conf  
/usr/share/doc/sudo-1.8.6p7/sample.sudoers  
/usr/share/doc/sudo-1.8.6p7/sample.syslog.conf  
/data/sample.txt
```

: find -name ' '

```
[root@localhost ~]# find -name 'basic'  
./basic
```

: find -name ' *.*'

```
[root@localhost ~]# find -name 'basic.*'  
./basic.txt  
./basic.c  
./basic.pl
```

: find -name ' *'

```
[root@localhost ~]# find -name 'ba*'
./basic
./basic.txt
./basic.c
./basic.pl
```

Grep Command

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:

https://atl.kr/dokuwiki/doku.php/%ED%8C%8C%EC%9D%BC_%EA%B2%80%EC%83%89?rev=1423629820

Last update: **2015/06/18 15:49**

