

---

.....	3
.....	3
.....	4
<b>VGA</b> .....	4
<b>Lenovo</b> .....	4
<b>Xpenology /</b> .....	4



- <https://mirror.mahanserver.net/>
- <https://download.mysupport.ws/>
  - [https://download.mysupport.ws/?dir=vmware/esx\\_bundles/HP-FW](https://download.mysupport.ws/?dir=vmware/esx_bundles/HP-FW)
- <https://repo.gayuh.net.id/?berkas=HPE-SPP>
- <https://cios.dhitechnical.com/> user : cios / password: SuperSecretPassword

(Vendor)		
Lenovo	Lenovo XClarity ( )	- XClarity Administrator (LXCA): Lenovo , OS 가 XClarity Essentials (LXCE): UpdateXpress (XCC): XClarity Controller (BMC). UI
HPE	Smart Update Manager (SUM) / OneView	- Smart Update Manager (SUM): HPE ProLiant / Service Pack for ProLiant(SPP) .- HPE OneView: (SDI) . SUM
Dell Technologies	OpenManage Enterprise (OME) & Dell Repository Manager (DRM)	- OpenManage Enterprise (OME): PowerEdge (DRM): .- Dell Repository Manager (Repository) . OME
Fujitsu	ServerView Suite	- Fujitsu PRIMERGY PRIMEQUEST Manager가 .- ServerView Update
Cisco	Cisco UCS Manager / Intersight	- Cisco UCS Manager: Cisco UCS HyperFlex .- Cisco Intersight: UCS
Supermicro	Supermicro Update Manager (SUM) / Server Manager (SSM)	- Supermicro Update Manager (SUM): BIOS, BMC CLI . Out-of-Band(BMC ) In-Band(OS ) (SSM): .- Supermicro Server Manager Supermicro

(Vendor)		
Huawei	iBMC / eSight	- iBMC (Intelligent Baseboard Management Controller): UI eSight: Huawei
IBM	Hardware Management Console (HMC)	- IBM Power Systems IBM Z ( ) 가 (Licensed Internal Code) (LPAR) (x86) Lenovo )
Inspur	Inspur Server Manager (ISM)	- Inspur BIOS BMC

- [USB Stick](#)

## VGA

- [NVIDIA GeForce GPU vGPU](#)

## Lenovo

- [RHEL 8.7 & 9.1 "Input signal out of range" on local video when being installed to server with Matrox G200 video - Lenovo ThinkSystem](#)

## Xpenology /

- [HP Microserver N54L](#)

From: <https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link: <https://atl.kr/dokuwiki/doku.php/%ED%95%98%EB%93%9C%EC%9B%A8%EC%96%B4?rev=1768835367>

Last update: 2026/01/19 15:09

