

- Ansible** 3
 - Ansible** 3
 - Ansible 3
 - 3
 - Ansible 3
 - Ansible** 4
 - Static Inventory 4
 - Ansible 5
 - Ad-Hoc 5
 - YAML** 5
 - YAML 5
 - 6

Ansible


- [Ansible Summary](#)
- [Ansible install](#)
- <https://www.middlewareinventory.com/blog/ansible-ad-hoc-commands/>

Ansible

Ansible

ansible

()



Ansible

- 가 . (kickstart, pxe)
- :
- :

Ansible

Inventory

가

Static Inventory

INI

```
...  
[GROUP_NAME]  
HOSTNAME          OPTIONS  
IP  
...
```

```
[webservers]  
localhost          ansible_connection=local  
web1.example.com  
web2.example.com:1234  ansible_connection=ssh ansible_user=ftaylor  
192.168.3.7  
  
[db-servers]  
web1.example.com  
db1.example.com
```

```
[GROUP_OF_GROUP:children]  
GROUP1  
GROUP2
```

```
[webservers]  
localhost          ansible_connection=local  
web1.example.com  
web2.example.com:1234  ansible_connection=ssh ansible_user=ftaylor  
192.168.3.7  
  
[db-servers]  
web1.example.com  
db1.example.com
```

```
[servers:children]
webservers
db-servers
```

Ansible

ansible

1. \$ANSIBLE_CONFIG #
2. ./ansible.cfg #
3. ~/.ansible.cfg #
4. /etc/ansible/ansible.cfg #

가

2

가

```
root@debian:~# ansible --version
ansible 2.2.1.0
  config file = /etc/ansible/ansible.cfg
  configured module search path = Default w/o overrides
```

Ad-Hoc

Adhoc

. ansible playbook

```
ansible host-pattern -m module [-a 'module arguments'] -i inventory
# )
[root@ceph1 ceph-ansible]# ansible -a "reboot" -i inventory all
```

YAML

YAML

ansible playbook YAML

```
---
title: My book

author:
  first_name: John
  last_name: Doe
publish_date: 2016-01-01

chapters:
  - number: 1
    title: Chapter 1 Title
    pages: 10
  - number: 2
    title: Chapter 2 Title
    pages: 7
...

```

- [Ansible](#)

From:
<https://at1.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:
<https://at1.kr/dokuwiki/doku.php/ansible>

Last update: **2024/02/12 07:36**

