

Ansible

..... 3

Ansible

```
---
- name:
  hosts: all
  become: yes
  gather_facts: no
  vars:
    local_results_dir: "/root/check_results" #

  tasks:
    - name:
      command: uptime
      register: uptime_result

    - name:
      shell: df -hTP
      register: disk_usage

    - name:
      set_fact:
        formatted_disk_usage: "{{ disk_usage.stdout_lines | join('\n    ')
    }}"

    - name:
      command: free -m
      register: memory_usage

    - name: CPU
      shell: top -bn1 | grep load
      register: cpu_usage

    - name:
      delegate_to: localhost
      blockinfile:
        path: "{{ local_results_dir }}/check_result_{{ inventory_hostname
    }}.txt"
        create: yes
        block: |
          :
          {{ inventory_hostname }}
          :
          {{ uptime_result.stdout }}
          :
          {{ formatted_disk_usage }}
          :
          {{ memory_usage.stdout }}
          CPU      :
          {{ cpu_usage.stdout }}
```

Last update: 2024/02/12 07:36 - ansible_ - https://atl.kr/dokuwiki/doku.php/ansible_%EC%84%9C%EB%B2%84_%EC%83%81%ED%83%9C_%EC%B2%B4%ED%81%AC_%ED%94%8C%EB%A0%88%EC%9D%B4%EB%B6%81?rev=1707723409

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/ansible_%EC%84%9C%EB%B2%84_%EC%83%81%ED%83%9C_%EC%B2%B4%ED%81%AC_%ED%94%8C%EB%A0%88%EC%9D%B4%EB%B6%81?rev=1707723409

Last update: 2024/02/12 07:36

