

- Apache Authentication with authn\_dbd** ..... 3
- ..... 3
- ..... 3
- DB & Table Setup*** ..... 3
- ..... 3



# Apache Authentication with authn\_dbd

[http://linuxdata.kr/dokuwiki/doku.php?id=apache\\_authentication\\_with\\_authn\\_dbd](http://linuxdata.kr/dokuwiki/doku.php?id=apache_authentication_with_authn_dbd)  
— 2015/12/02 17:51

DB                      SQL                      authn\_dbd                      MySQL

OS : Debian 8 (jessie)

Debian 8(jessie)                      libapache2-mod-auth-mysql                      8  
authn\_dbd

Apache 2.4                      mod-auth-mysql

DB

```
apt-get install apache2 apache2-utils
apt-get install libaprutil1-dbd-mysql
apt-get install mysql-server-5.6
```

## DB & Table Setup

DB                      가

```
CREATE TABLE `password` (
  `id` int(11) unsigned NOT NULL auto_increment,
  `username` varchar(255) default NULL,
  `password` varchar(255) default NULL,
  PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
```

apache                      mysql                      /etc/apache2/conf-available/dbd\_mysql.conf

```
DBDriver mysql
DBDParams
"host=127.0.0.1,port=3306,dbname=dbname_here,user=username_here,pass=password_here"
DBDMin 2
DBDKeep 4
DBDMax 10
DBDExptime 300
```

```
[user@host]$ a2enmod dbd
[user@host]$ a2enmod authn_dbd
[user@host]$ a2enconf dbd_mysql
```

/var/www/password-protected-site

```
<Directory /var/www/password-protected-site>
  AuthName "You Must Login"
  AuthType Basic
  AuthBasicProvider dbd
  AuthDBUserPWQuery "SELECT encrypt(password) AS password FROM password
WHERE username = %s"
  Require valid-user
</Directory>
```

From:  
<https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://at1.kr/dokuwiki/doku.php/apache\\_authentication\\_with\\_authn\\_dbd?rev=1607653913](https://at1.kr/dokuwiki/doku.php/apache_authentication_with_authn_dbd?rev=1607653913)

Last update: **2020/12/11 02:31**

