

**Apache referer log** ..... 3



# Apache referer log

```
# Possible values include: debug, info, notice, warn, error, crit,  
# alert, emerg.  
LogLevel warn  
###  
SetEnvIf Request_URI "\.png$|\.gif$|\.jpg$|\.js$|\.css$" is_exclude  
SetEnvIf Remote_Addr "::1" is_exclude  
SetEnvIf Remote_Addr "127\.\0\.\0\.\1" is_exclude  
  
CustomLog /var/log/apache2/access.log combined env=!is_exclude  
### refere log  
SetEnvIfNoCase Referer (www\.)?linuxdata\.kr nolog  
SetEnvIfNoCase Referer (www\.)?allthatlinux\.com nolog  
SetEnvIfNoCase Referer (www\.)?atl\.kr nolog  
SetEnvIf Referer "^$" nolog  
LogFormat "%{Referer}i" reflog  
CustomLog /var/log/apache2/referer.log reflog env=!nolog
```

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

[https://atl.kr/dokuwiki/doku.php/apache\\_referer\\_log](https://atl.kr/dokuwiki/doku.php/apache_referer_log)

Last update: **2020/12/12 17:08**

