목차

CentOS docker 설치 3
기존버전 제거 3
RPM Repository 설치 3
docker engine 설치 3
docker-compose 설치 4

CentOS docker 설치

원문출처 : https://docs.docker.com/engine/install/centos/

docker가 상용화 되면서 부터 CentOS8 은 podman 을 사용하고 다른 리눅스 배포본 또한 containerd 같은 컨테이너 엔진으로 전환되고 있는 실정이다.

그럼에도 불구하고 docker를 사용하고자 한다면 docker.com의 공식 레포지토리를 등록하여 설치할 수 있다.

기존버전 제거

일단 기존 버전과 충돌이 생길수 있으므로 기존버전을 제거한다.

```
$ sudo yum remove docker \
                  docker-client \
                  docker-client-latest \
                  docker-common \
                  docker-latest \
                  docker-latest-logrotate \
                  docker-logrotate \
                  docker-engine

$ sudo rm -rf /var/lib/docker
```

RPM Repository 설치

먼저 필요한 유틸과 레포지토리를 설정한다.

```
$ sudo yum install -y yum-utils
$ sudo yum-config-manager \
    --add-repo \
    https://download.docker.com/linux/centos/docker-ce.repo
```

docker engine 설치

```
$ sudo yum install docker-ce docker-ce-cli containerd.io
$ sudo systemctl enable docker
$ sudo systemctl start docker
```

docker-compose 설치

`docker-compose` 명령은 레포지토리에서 제공하지 않는다 아래 링크 참조.
https://docs.docker.com/compose/install/

```
$ sudo curl -L
"https://github.com/docker/compose/releases/download/1.29.2/docker-compose-$
(uname -s)-$(uname -m)" -o /usr/local/bin/docker-compose
$ sudo chmod +x /usr/local/bin/docker-compose

$ sudo ln -s /usr/local/bin/docker-compose /usr/bin/docker-compose
```

From:
https://atl.kr/dokuwiki/ - **AllThatLinux!**

Permanent link:
https://atl.kr/dokuwiki/doku.php/centos_docker_%EC%84%A4%EC%B9%98

Last update: **2021/06/11 04:33**