

- Ceph / 3
- 3
- set parameter** 3
- 3

Last update: 2021/09/15 05:51 ceph_ - https://atl.kr/dokuwiki/doku.php/ceph_%EC%A0%95%EC%A7%80_%EA%B8%B0%EB%8F%99_%EC%A0%88%EC%B0%A8

Ceph /

- (this step is only necessary if you want to shutdown your whole cluster)
- !! – 가 Healthy
- OSD :

```
$ ceph osd set noout
$ ceph osd set norebalance
$ ceph osd set nobackfill
$ ceph osd set norecover
```

```
$ ceph osd norebalance # <-
$ ceph osd nodown      # <-
$ ceph osd pause
```

OSD가 가

-
- OSD
-
-

set parameter

```
$ ceph osd set
full|pause|noup|nodown|noout|noin|nobackfill|norebalance|norecover|noscrub|n
odeep-scrub|notieragent|nosnaptrim|pglog_hardlimit {--yes-i-really-mean-it}
```

- <https://ceph.com/planet/how-to-do-a-ceph-cluster-maintenance-shutdown/>

Last update: 2021/09/15 05:51 ceph_ - https://atl.kr/dokuwiki/doku.php/ceph_%EC%A0%95%EC%A7%80_%EA%B8%B0%EB%8F%99_%EC%A0%88%EC%B0%A8

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/ceph_%EC%A0%95%EC%A7%80_%EA%B8%B0%EB%8F%99_%EC%A0%88%EC%B0%A8

Last update: 2021/09/15 05:51

