

Ceph Storage PG reduce	3
.....	3
<i>Pool</i>	3
.....	3

Ceph Storage PG reduce

Ceph Pool pg_num 가 가 / . 가 pg_num

```
[user@host]# ceph osd pool set <poolname> pg_num <numpgs> --allow-experimental-feature
```

```
[user@host]# ceph osd pool set monpool pg_num 512 --allow-experimental-feature
set pool 512 pg_num to 512
```

Pool

Pool Pool . Pool pg_num

```
[user@host]# ceph osd pool create <my-new-pool> <pg_num> # Pool
pg_num
[user@host]# rados cppool <my-old-pool> <my-new-pool> # Pool
cppool
[user@host]# ceph osd pool delete <my-old-pool> # Pool
[user@host]# ceph osd pool rename <my-new-pool> <my-old-pool> # Pool
Pool
```

- <https://www.sebastien-han.fr/blog/2013/03/12/ceph-change-pg-number-on-the-fly/>
- <http://lists.ceph.com/pipermail/ceph-users-ceph.com/2015-April/000717.html>

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/ceph_storage_pg_reduce?rev=1480473263



Last update: **2016/11/30 02:34**