

'clean failed' 3
..... 5

'clean failed'

```
(undercloud) [stack@director ~]$ openstack baremetal node list
+-----+-----+-----+-----+
| UUID                               | Name      | Instance UUID | Power
State | Provisioning State | Maintenance |
+-----+-----+-----+-----+
| b6fd8f97-5cd7-4b77-8ce2-0c89a3c93ef1 | control1  | None          | power on
| clean failed                       |           |               |
| c36d02cf-ec5e-4503-bb9f-39450171e63e | control2  | None          | power
off  | available           | False        |
| e9b14786-392a-4286-ac2b-af54cb379a1b | control3  | None          | power
off  | available           | False        |
| 31976bfb-13cd-4c82-a275-26a8301086db | compute1  | None          | power
off  | available           | False        |
+-----+-----+-----+-----+
```

introspect 가 clean failed 가 가 .
 가 가 가 .
 manageable .

```
$ openstack baremetal node manage $node_id
```

manageable
 가

```
# First, move it out of maintenance mode
$ openstack baremetal node maintenance unset $node_id

# Now, make the node available for scheduling by nova
$ openstack baremetal node provide $node_id
```

cleaning available .

```
##
(undercloud) [stack@director ~]$ openstack baremetal node list
+-----+-----+-----+-----+
| UUID                               | Name      | Instance UUID | Power
State | Provisioning State | Maintenance |
+-----+-----+-----+-----+
```

```
-----+-----+-----+-----+
| b6fd8f97-5cd7-4b77-8ce2-0c89a3c93ef1 | control1 | None | power
off | cleaning | False |
| c36d02cf-ec5e-4503-bb9f-39450171e63e | control2 | None | power
off | available | False |
| e9b14786-392a-4286-ac2b-af54cb379a1b | control3 | None | power
off | available | False |
| 31976bfb-13cd-4c82-a275-26a8301086db | compute1 | None | power
off | available | False |
+-----+-----+-----+-----+
```

```
##
(undercloud) [stack@director ~]$ openstack baremetal node list
```

```
-----+-----+-----+-----+
| UUID | Name | Instance UUID | Power
State | Provisioning State | Maintenance |
+-----+-----+-----+-----+
| b6fd8f97-5cd7-4b77-8ce2-0c89a3c93ef1 | control1 | None | power on
| clean wait | False |
| c36d02cf-ec5e-4503-bb9f-39450171e63e | control2 | None | power
off | available | False |
| e9b14786-392a-4286-ac2b-af54cb379a1b | control3 | None | power
off | available | False |
| 31976bfb-13cd-4c82-a275-26a8301086db | compute1 | None | power
off | available | False |
+-----+-----+-----+-----+
```

```
##
(undercloud) [stack@director ~]$ openstack baremetal node list
```

```
-----+-----+-----+-----+
| UUID | Name | Instance UUID | Power
State | Provisioning State | Maintenance |
+-----+-----+-----+-----+
| b6fd8f97-5cd7-4b77-8ce2-0c89a3c93ef1 | control1 | None | power on
| cleaning | False |
| c36d02cf-ec5e-4503-bb9f-39450171e63e | control2 | None | power
off | available | False |
| e9b14786-392a-4286-ac2b-af54cb379a1b | control3 | None | power
off | available | False |
| 31976bfb-13cd-4c82-a275-26a8301086db | compute1 | None | power
off | available | False |
+-----+-----+-----+-----+
```

```

##
(undercloud) [stack@director ~]$ openstack baremetal node list
+-----+-----+-----+-----+
| UUID                               | Name      | Instance UUID | Power
State | Provisioning State | Maintenance |
+-----+-----+-----+-----+
| b6fd8f97-5cd7-4b77-8ce2-0c89a3c93ef1 | control1  | None          | power
off  | available          | False        |
| c36d02cf-ec5e-4503-bb9f-39450171e63e | control2  | None          | power
off  | available          | False        |
| e9b14786-392a-4286-ac2b-af54cb379a1b | control3  | None          | power
off  | available          | False        |
| 31976bfb-13cd-4c82-a275-26a8301086db | compute1  | None          | power
off  | available          | False        |
+-----+-----+-----+-----+

```

- <https://docs.openstack.org/ironic/queens/admin/cleaning.html>

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://atl.kr/dokuwiki/doku.php/clean_failed_%EC%83%81%ED%83%9C_%ED%95%B4%EA%B2%B0%EB%B0%A9%EB%B2%95?rev=1626056792

Last update: 2021/07/12 02:26

