

Oracle	3
Multi Master Replication	3
<i>MariaDB</i>	3
<i>MySQL</i>	3
<i>MySQL Cluster (NDB)</i>	3
<i>MySQL / MariaDB</i>	4
<i>MySQL 8</i>	4
Cubrid	5
PostgreSQL	5
	5
NoSQL	5
<i>DB HA / Clustering</i>	5

Oracle

- Oracle DB
 - RAC
 - Tablespace On-Offline
 - Oracle DB
- RHEL

11가

(Doc ID 1575936.1)

/

Multi Master Replication

MariaDB


- 10.0
 - MySQL 5.7.6
- 가 가

MySQL

Replication 5.7.17 가 MySQL Group

MySQL Cluster (NDB)

MySQL MySQL 6.3



MySQL / MariaDB

- MySQL / MariaDB
- Mysql Standard/Enterprise comparison
- MySQL / MariaDB UTF-8
- MySQL 5.6 Binary Installation
- MySQL FEDERATED engine 가
- MySQL Replication
- MySQL Dump Dump
- MariaDB DB utf-8
- InnoDB
- MySQL DB Backup / Restore
- MySQL High Availability
- MySQL InnoDB
- MySQL Password Validation Plugin uninstall
- MySQL Max Connection
- MySQL root Password

MySQL 8

- Charset, Collation - utf8_unicode_ci and utf8mb4_0900_ai_ci
- MySQL 8 MHA(Mysql-HA)
- MySQL 8 Replication

Cubrid

- [Cubrid RHCS](#)

PostgreSQL

- [Postgres-XL](#)

NoSQL

- [NoSQL](#)

DB HA / Clustering

- <https://unabated.tistory.com/entry/MySQL-Cluster>
- [DB](#)
- [Multi-Master Replication for PostgreSQL databases with Postgres-BDR](#)

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:

<https://atl.kr/dokuwiki/doku.php/db%EC%84%9C%EB%B2%84?rev=1581472018>

Last update: **2020/02/12 01:46**

