

Debian

.....

.....

.....

3

3

3

	debian
Last	-
update:	-
2025/07/08	https://atl.kr/dokuwiki/doku.php/debian%EA%B3%84%EC%97%B4_%EC%B5%9C%EC%8B%A0_%EB%A0%88%ED%8F%AC%EC%A7%80%ED%86%A0%EB%A6%AC_%EB%AF%B8%EB%9F%AC_%EA%B5%AC%EC%84%B1?rev=1751984868
14:27	-
	-

```
)

#
ARCH="amd64"
FINAL_REPO_NAME="pve-local"
TIMESTAMP=$(date +%Y%m%d-%H%M)
SNAPSHOT_PREFIX="snap-`${TIMESTAMP}`"
declare -a SNAPSHOT_LIST_TO_MERGE

#
set -e

echo "### [ 1/7] GPG 가 ###"
for repo_info in "${REPO_LIST[@]"; do
    IFS='|' read -r name url dists comps key_path <<< "$repo_info"
    if [ -f "$key_path" ]; then
        echo ">> `${name}` 가 ..."
        gpg --no-default-keyring --keyring "$key_path" --export | gpg --no-
default-keyring --keyring ${GNUPGHOME}/trustedkeys.gpg --import
    else
        echo "!! : `${key_path}` ."
    fi
done

echo -e "\n### [ 2/7] ( ) ###"
for repo_info in "${REPO_LIST[@]"; do
    IFS='|' read -r name url dists comps key_path <<< "$repo_info"
    # 가
    if ! aptly mirror list -raw | grep -q "^`${name}`$"; then
        echo ">> `${name}` ..."
        CREATE_ARGS=(-filter-with-deps -architectures=${ARCH})
        if [[ "$name" == "debian-security" ]]; then
            CREATE_ARGS+=(-force-components)
        fi
        CREATE_ARGS+=("${name}" "${url}" "${dists}")
        CREATE_ARGS+=(${comps})
        aptly mirror create "${CREATE_ARGS[@]}"
    else
        echo ">> `${name}` ."
    fi
done

echo -e "\n### [ 3/7] ( ) ###"
for repo_info in "${REPO_LIST[@]"; do
    IFS='|' read -r name url dists comps key_path <<< "$repo_info"
    echo ">> `${name}` ..."
    aptly mirror update "${name}"
done
```

```

echo -e "\n### [    4/7]                ###"
for repo_info in "${REPO_LIST[@]"; do
    IFS='|' read -r name url dists comps key_path <<< "$repo_info"
    snapshot_name="${SNAPSHOT_PREFIX}-${name}"
    echo ">> '${name}'                '${snapshot_name}'                ..."
    aptly snapshot create "${snapshot_name}" from mirror "${name}"
    SNAPSHOT_LIST_TO_MERGE+=("${snapshot_name}")
done

echo -e "\n### [    5/7]                (                ) ###"
final_snapshot_name="${FINAL_REPO_NAME}-${TIMESTAMP}"
echo ">>                '${final_snapshot_name}'                (-latest                )..."
aptly snapshot merge -latest "${final_snapshot_name}"
${SNAPSHOT_LIST_TO_MERGE[@]}

echo -e "\n### [    6/7]                ###"
if aptly publish list | grep -q " ${FINAL_REPO_NAME} "; then
    echo ">>                '${FINAL_REPO_NAME}'                ..."
    #aptly publish switch -force-overwrite -passphrase=""
    "${FINAL_REPO_NAME}" "${final_snapshot_name}"
    aptly publish switch -force-overwrite -skip-signing "${FINAL_REPO_NAME}"
    "${final_snapshot_name}"
else
    echo ">>                '${FINAL_REPO_NAME}'                ..."
    #aptly publish snapshot -distribution="${FINAL_REPO_NAME}" -
    passphrase="" "${final_snapshot_name}"
    aptly publish snapshot -distribution="${FINAL_REPO_NAME}" -skip-signing
    "${final_snapshot_name}"
fi

echo -e "\n### [    7/7]                (                ) ###"
aptly snapshot list -sort=time | grep "snap-" | head -n -${(($#REPO_LIST[@]
* 5))} | awk '{print $1}' | xargs -r aptly snapshot drop

echo -e "\n   ###                ###"
echo "                가                /                ."
echo "                sources.list                가                :."
echo "deb http://<YOUR_SERVER_IP>:8080/${FINAL_REPO_NAME} ${FINAL_REPO_NAME}
main"

```

clean-mirror.sh

```
#!/bin/bash
```

```
echo "### Aptly . ###"

# 가
set +e

# --- 1. ---
echo -e "\n>> 1. ..."
PUBLISHED_REPOS=$(aptly publish list -raw)
if [ -n "$PUBLISHED_REPOS" ]; then
    for repo in $PUBLISHED_REPOS; do
        echo " - Deleting published repo: $repo"
        aptly publish drop "$repo"
    done
else
    echo " - 가 ."
fi

# --- 2. ---
echo -e "\n>> 2. ..."
SNAPSHOTS=$(aptly snapshot list -raw)
if [ -n "$SNAPSHOTS" ]; then
    aptly snapshot drop $SNAPSHOTS
    echo " - ."
else
    echo " - ."
fi

# --- 3. ---
echo -e "\n>> 3. ..."
MIRRORS=$(aptly mirror list -raw)
if [ -n "$MIRRORS" ]; then
    aptly mirror drop $MIRRORS
    echo " - 가 ."
else
    echo " - 가 ."
fi

# --- 4. ---
echo -e "\n>> 4. Aptly ..."
aptly db cleanup

echo -e "\n ### ###"
echo " aptly , , 가 ."
```

