

<b>ESXi</b>	<b>Nested Hypervisor</b>	.....	3
✓		.....	3
		.....	3
		.....	3

Last update: esxi  
2016/09/13 \_nested\_hypervisor https://atl.kr/dokuwiki/doku.php/esxi\_%EC%97%90%EC%84%9C\_nested\_hypervisor%EB%A5%BC\_%EA%B5%AC%EB%8F%99%ED%95%98%EA%B8%B0\_%EC%9C%84%ED%95%9C\_%EC%84%A4%EC%A0%95  
06:33 - - -

---

ESXi

# Nested Hypervisor

ESXi

가

ESXi

가

가

ESXi

/etc/vmware/config

가 . SSH

```
echo 'vhv.allow = "true"' >> /etc/vmware/config
```

VM


Promiscuous Mode(

)

ESXi

가

가



- <http://tsmith.co/2011/creating-a-nested-esxi-5-environment/>

Last update: esxi  
2016/09/13 \_nested\_hypervisor https://atl.kr/dokuwiki/doku.php/esxi\_%EC%97%90%EC%84%9C\_nested\_hypervisor%EB%A5%BC\_%EA%B5%AC%EB%BF%99%ED%95%98%EA%B8%B0\_%EC%9C%84%ED%95%9C\_%EC%84%A4%EC%A0%95  
06:33 - - -

---

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/esxi\\_%EC%97%90%EC%84%9C\\_nested\\_hypervisor%EB%A5%BC\\_%EA%B5%AC%EB%BF%99%ED%95%98%EA%B8%B0\\_%EC%9C%84%ED%95%9C\\_%EC%84%A4%EC%A0%95](https://atl.kr/dokuwiki/doku.php/esxi_%EC%97%90%EC%84%9C_nested_hypervisor%EB%A5%BC_%EA%B5%AC%EB%BF%99%ED%95%98%EA%B8%B0_%EC%9C%84%ED%95%9C_%EC%84%A4%EC%A0%95)

Last update: 2016/09/13 06:33

