

<b>ESXi</b>	<b>Nested Hypervisor</b>	3
가		3
		3
		3



# ESXi Nested Hypervisor


ESXi 가 ESXi 가

가

ESXi /etc/vmware/config 가 .SSH

```
echo 'vhv.allow = "true"' >> /etc/vmware/config
```

VM 가 Promiscuous Mode( ) 가 ESXi 가



- <http://tsmith.co/2011/creating-a-nested-esxi-5-environment/>

From: <https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link: [https://atl.kr/dokuwiki/doku.php/esxi\\_%EC%97%90%EC%84%9C\\_nested\\_hypervisor%EB%A5%BC\\_%EA%B5%AC%EB%8F%99%ED%95%98%EA%B8%B0\\_%EC%9C%84%ED%95%9C\\_%EC%84%A4%EC%A0%95](https://atl.kr/dokuwiki/doku.php/esxi_%EC%97%90%EC%84%9C_nested_hypervisor%EB%A5%BC_%EA%B5%AC%EB%8F%99%ED%95%98%EA%B8%B0_%EC%9C%84%ED%95%9C_%EC%84%A4%EC%A0%95)

Last update: 2016/09/13 06:33

