— *2015/07/29 10:30*

Exim4 - Dovecot SASL

- Debian 8
- Exim4

Exim4 SASL Dovecot SASL
. Exim v4.64 SMTP
Cyrus SASL Dovecot SASL .

- Exim4 exim4-daemon-light exim4-daemon-heavy
  .
- dovecot

```
[user@host]# apt-get install exim4-daemon-heavy dovecot-core
```

Dovecot

dovecot-core .

/etc/dovecot/conf.d/10-master.conf

```
service auth {
...
#SASL
  unix_listener auth-client {
    mode = 0660
    user = Debian-exim
  }
...
}
```

/etc/dovecot/conf.d/10-auth.conf

```
auth_mechanisms = plain login
```

Exim4

Dovecot   SASL   unix socket
 .

/etc/exim4/exim4.conf.template

```
dovecot_login:
  driver = dovecot
  public_name = LOGIN
  server_socket = /var/run/dovecot/auth-client
# setting server_set_id might break several headers in mails sent by
authenticated smtp. So be careful.
  server_set_id = $auth1

dovecot_plain:
  driver = dovecot
  public_name = PLAIN
  server_socket = /var/run/dovecot/auth-client
  server_set_id = $auth1
```

 .

```
[user@host]# update-exim4.conf -d /etc/exim4 -o /etc/exim4/exim4.conf
[user@host]# systemctl restart dovecot.service
[user@host]# systemctl restart exim4.service
```

```
root@mail:~# telnet localhost 25
Trying ::1...
Connected to localhost.
Escape character is '^]'.
220 mail.koov.net ESMTP Exim 4.84 Mon, 27 Jul 2015 15:03:31 +0900
EHLO koov.net
250-mail.koov.net Hello koov.net [::1]
250-SIZE 52428800
250-8BITMIME
250-PIPELINING
250-AUTH LOGIN PLAIN
250 HELP
```

```
AUTH LOGIN
334 VXNlcm5hbWU6
a29vdg==
334 UGFzc3dvcmQ6
dGVzdDEyMzQ=
235 Authentication succeeded
```

- http://wiki2.dovecot.org/HowTo/EximAndDovecotSASL
- Base64

From:
https://atl.kr/dokuwiki/ - **AllThatLinux!**

Permanent link:
https://atl.kr/dokuwiki/doku.php/exim4_-_dovecot_sasl

Last update: **2015/07/29 01:30**