

목차

fencing history cleanup 3

 로그 조회 3

 로그 삭제 4

참조링크 4

fencing history cleanup

pacemaker 상태를 확인해 보면 아래와 같이 fencing action log가 찍혀있는경우가 있다.

```
# pcs status
Cluster name: my_cluster
Stack: corosync
Current DC: rhel-8-0-1 (version 2.0.1-3.el8-0eb7991564) - partition with
quorum
Last updated: Wed Feb  6 18:30:11 2019
Last change: Wed Feb  6 18:22:22 2019 by root via cibadmin on rhel-8-0-1

...

Failed Fencing Actions:
* reboot of rhel-8-0-2 failed: delegate=rhel-8-0-1,
  client=stonith_admin.1697, origin=rhel-8-0-2,
    last-failed='Wed Feb  6 18:22:35 2019'

...
```

장애나 여타 원인으로 인해 펜싱동작이 수행된경우 위와 같은 로그가 찍혀있는데 장애로그와는 달리 cleanup해주지 않아도 클러스터 동작에는 아무런 영향이 없다. 그럼에도 불구하고 해당 내용을 없애고 싶은경우 아래와 같이 처리해줄수 있다.

- Red Hat Enterprise Linux 7 버전은 pcs 명령어로 초기화가 불가능하며 다른 방법을 사용하여야 한다. 참조: <https://access.redhat.com/solutions/4378481>

```
# stonith_admin -verbose -history "*" stonith_admin at node1 wishes to reboot node node1 - 1 0
stonith_admin at node1 wishes to reboot node node2 - 1 0
```

```
# stonith_admin -cleanup -history "*" cleaning up fencing-history for node *
```

로그 조회

pcs stonith history [show [<node>]] 명령어로 로그 조회 할 수 있다.

```
[root@rhel-8-0-1 ~]# pcs stonith history
rhel-8-0-1 was able to reboot node rhel-8-0-2 on behalf of
stonith_admin.12657 from rhel-8-0-1 at Wed Feb  6 18:19:09 2019

We failed to reboot node rhel-8-0-1 on behalf of stonith_admin.2369 from
rhel-8-0-2 at Wed Feb  6 18:59:53 2019

rhel-8-0-1 was able to reboot node rhel-8-0-2 on behalf of
stonith_admin.6667 from rhel-8-0-2 at Wed Feb  6 18:20:11 2019
```

```
rhel-8-0-1 failed to reboot node rhel-8-0-2 on behalf of stonith_admin.1697
from rhel-8-0-2 at Wed Feb  6 18:22:35 2019
```

```
[root@rhel-8-0-1 ~]# pcs stonith history show rhel-8-0-2
rhel-8-0-1 was able to reboot node rhel-8-0-2 on behalf of
stonith_admin.12657 from rhel-8-0-1 at Wed Feb  6 18:19:09 2019
```

```
rhel-8-0-1 was able to reboot node rhel-8-0-2 on behalf of
stonith_admin.6667 from rhel-8-0-2 at Wed Feb  6 18:20:11 2019
```

```
rhel-8-0-1 failed to reboot node rhel-8-0-2 on behalf of stonith_admin.1697
from rhel-8-0-2 at Wed Feb  6 18:22:35 2019
```

로그 삭제

pcs stonith history cleanup [<node>] 명령어로 로그 삭제 가능하다.

```
[root@rhel-8-0-1 ~]# pcs stonith history cleanup rhel-8-0-2
cleaning up fencing-history for node rhel-8-0-2
```

```
[root@rhel-8-0-1 ~]# pcs stonith history
We failed to reboot node rhel-8-0-1 on behalf of stonith_admin.2369 from
rhel-8-0-2 at Wed Feb  6 18:59:53 2019
```

```
[root@rhel-8-0-1 ~]# pcs stonith history cleanup
cleaning up fencing-history for node *
```

```
[root@rhel-8-0-1 ~]# pcs stonith history
```

참조링크

- <https://access.redhat.com/solutions/3761361>

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/fencing_history_cleanup?rev=1642556514

Last update: **2022/01/19 01:41**

