

- Galera Cluster** 3
- grastate.dat*** 3
- DB Galera Cluster*** 3
- Cluster*** 3
- 4
- 4

Galera Cluster

Database Cluster 가 가 . Galera

?

grastate.dat

```
Galera Cluster sync DB가
node node가 .(
  ?) /var/lib/mysql/grastate.dat ....
  safe_to_bootstrap 1 가
node
, node
```

```
[root@galera-01 ~]# cat /var/lib/mysql/grastate.dat
# GALERA saved state
version: 2.1
uuid: UUID
seqno: -1 # node '1'
safe_to_bootstrap: 0
```

DB Galera Cluster

Galera Cluster DB 가 Cluster 가 .

```
[root@galera-01 ~]# service mysql start --wsrep-new-cluster
Starting mysql (via systemctl): [ OK ]
.
.
.
service mysql start
node 가
```

Cluster

Cluster , 가 .

```
# Cluster size가  
> show global status like 'wsrep_cluster_size';  
  
#  
> SET GLOBAL wsrep_provider_options='pc.bootstrap=YES';
```

- safe_to_bootstrap -1 cluster node
- 1 Cluster
- , /var/lib/mysql/grastate.dat /var/lib/mysql/galera.cache 2

- <https://syspago.tistory.com/6>

From: <https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link: https://at1.kr/dokuwiki/doku.php/galera_cluster_%EC%9E%AC%EA%B8%B0%EB%8F%99_%EC%97%90%EB%9F%AC_%ED%95%B4%EA%B2%B0_%EB%B0%A9%EC%95%88

Last update: 2021/01/27 02:11

