Grub boot kernel argu	ment	3
grubby		3
		3
GRUB configuration		3
		3

https://atl.kr/dokuwiki/ Printed on 2025/10/03 05:36

2025/10/03 05:36 3/4 Grub boot kernel argument

Grub boot kernel argument

: RHEL7

grubby

```
# 7 | sqrubby --update-kernel=ALL --args="<NEW_PARAMETER>"

# 7 | ( "" ) | sqrubby --update-kernel=ALL --args="rd.lvm.lv=vg/lv1 rd.lvm.lv=vg/lv2"

# sqrubby --update-kernel=ALL --remove-args="<PARAMETER_TO_REMOVE>"

# sqrubby --update-kernel=/boot/vmlinuz-$(uname -r) --args="<NEW_PARAMETER>"
```

/etc/default/grub . 가

```
GRUB_TERMINAL="serial"
GRUB_SERIAL_COMMAND="serial --speed=9600 --unit=0 --word=8 --parity=no --
stop=1"
```

GRUB configuration

grub.cfg

```
# Legacy-BIOS System
$ grub2-mkconfig -o /boot/grub2/grub.cfg

# UEFI-BIOS System ( legacy config )
$ grub2-mkconfig -o /boot/efi/EFI/redhat/grub.cfg
```

```
grubby 가 /etc/default/grub GRUB_CMDLINE_LINUX 가가 /boot/grub2/grub.cfg 가 .
```

가 . rd.lvm.lv

가 /boot/grub2/grub.cfg

set kernelopts="root=/dev/mapper/rhel_kvm33-root ro
crashkernel=1G-4G:192M,4G-64G:256M,64G-:512M resume=/dev/mapper/rhel_kvm33swap rd.lvm.lv=rhel kvm33/root rd.lvm.lv=rhel kvm33/swap rhgb quiet "

```
--arg="rd.lvm.lv=rhel_kvm33/root rd.lvm.lv=rhel_kvm33/swap
grubby
rd.lvm.lv=rhel kvm33/test"
rd.lvm.lv=rhel kvm33/test
                              가
                                 가
/etc/default/grub
           /boot/grub2/grub.cfg
                                                   가
/boot/grub2/grub.cfg
                        rd.lvm.lv
                                            가
                                                                     가가
       가
                가
               grub.cfg
```

From:

https://atl.kr/dokuwiki/ - AllThatLinux!

Permanent link:

https://atl.kr/dokuwiki/doku.php/grub_boot_kernel_argument_%EC%84%A4%EC%A0%95

Last update: 2023/04/14 07:54



https://atl.kr/dokuwiki/ Printed on 2025/10/03 05:36