

Guest Agent Driver 3
Guest Agent 3
..... 4

Guest Agent Driver

Guest Agent

Guest VM

```
For Red Hat Enterprise Linux 6
# subscription-manager repos --enable=rhel-6-server-rhv-4-agent-rpms
For Red Hat Enterprise Linux 7
# subscription-manager repos --enable=rhel-7-server-rh-common-rpms
```

ovirt-guest-agent-common

```
# yum install ovirt-guest-agent-common
```

Start and enable the service:

- For Red Hat Enterprise Linux 6

```
# service ovirt-guest-agent start
# chkconfig ovirt-guest-agent on
```

- For Red Hat Enterprise Linux 7

```
# systemctl start ovirt-guest-agent.service
# systemctl enable ovirt-guest-agent.service
```

qemu-ga

- For Red Hat Enterprise Linux 6

```
# service qemu-ga start
# chkconfig qemu-ga on
```

- For Red Hat Enterprise Linux 7

```
# systemctl start qemu-guest-agent.service
# systemctl enable qemu-guest-agent.service
```

Virtualization ovirt-guest-agent , 가 /etc/
ovirt-guest-agent.conf .

- https://access.redhat.com/documentation/en-us/red_hat_virtualization/4.1/html/virtual_machine_management_guide/sect-installing_guest_agents_and_drivers1

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/guest_agent_%EC%99%80_driver_%EC%84%A4%EC%B9%98

Last update: **2017/05/31 02:17**

