Guest Agent Driver

Guest Agent   Driver

Guest Agent

Guest VM   .

```
For Red Hat Enterprise Linux 6
# subscription-manager repos --enable=rhel-6-server-rhv-4-agent-rpms
For Red Hat Enterprise Linux 7
# subscription-manager repos --enable=rhel-7-server-rh-common-rpms
```

ovirt-guest-agent-common   .

```
# yum install ovirt-guest-agent-common
```

Start and enable the service:

* For Red Hat Enterprise Linux 6

```
# service ovirt-guest-agent start
# chkconfig ovirt-guest-agent on
```

* For Red Hat Enterprise Linux 7

```
# systemctl start ovirt-guest-agent.service
# systemctl enable ovirt-guest-agent.service
```

qemu-ga   .

* For Red Hat Enterprise Linux 6

```
# service qemu-ga start
# chkconfig qemu-ga on
```

* For Red Hat Enterprise Linux 7

```
# systemctl start qemu-guest-agent.service
# systemctl enable qemu-guest-agent.service
```

Red Hat Virtualization Manager   . Red Hat

Virtualization ovirt-guest-agent , /etc/
ovirt-guest-agent.conf .

- https://access.redhat.com/documentation/en-us/red_hat_virtualization/4.1/html/virtual_machine _management_guide/sect-installing_guest_agents_and_drivers1