

- HTTP cookie** ..... 3
- HTTP** ..... 3
- ..... 3
- ..... 4
- ..... 5
- ..... 6
- ..... 7
- RFC 6265, RFC 2109 ..... 8
- 6.0~8.5 ..... 9
- 6.0 ..... 9
- 7.0 ..... 10
- 8.0 ~ 8.5 ..... 11
- ..... 12
- ..... 16



# HTTP cookie

: <https://meetup.toast.com/posts/172>

## HTTP

- HTTP 가
- 

( )

- 
- UID( ) 가 .12 ( DB )
- UID가


Name	Value	Domain	Path	Expires / Max-Age
JSESSIONID	564BEEA6D70D6851...	local-id.hangame.com	/	1969-12-31T23:59:59.000Z
LUT	W	.hangame.com	/	1969-12-31T23:59:59.000Z

Name	Value	Domain	Path	Expires / Max-Age
BID	B7OMN72YM6GFO38...	.hangame.com	/	2050-01-01T09:00:00.784Z
CAT	Y+1	.hangame.com	/	2018-11-21T00:37:34.514Z
HG_CP_LOGIN	"iNto0EJ2sxsKxoaitVu...	.hangame.com	/	1969-12-31T23:59:59.000Z
HG_JS	Y%5E27%5EM%5E%...	.hangame.com	/	1969-12-31T23:59:59.000Z
HG_LOGIN	c5U4eWNQ9GjS-_ouY...	.hangame.com	/	1969-12-31T23:59:59.000Z
HG_SP_LOGIN	"gYjFhmcAjqskoVTxfv...	.hangame.com	/	1969-12-31T23:59:59.000Z
LUT	W	.hangame.com	/	1969-12-31T23:59:59.000Z
NNB	LAS2L56ODPGVW	.hangame.com	/	2050-01-01T09:00:00.784Z
hgDomain	hangame	.hangame.com	/	1969-12-31T23:59:59.000Z
login	A08B6B53561B5A%2...	.hangame.com	/	1969-12-31T23:59:59.000Z


( , )

- 
- 가, duckduckgo


테마




기본값




기본




✓ 색상 대비



어둠



회색



터미널

ents Console Sources Network Performance Memory Application Security Audits					
Filter					
Name	Value	Domain	Path	Expires / Max-Age	
ae	c	duckduckgo.com	/	2025-01-11T15:00:00.000Z	

( )

- 가 가 가
- 가 ,

가 .

```
GET /test HTTP/1.1
Host: localhost:8080
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_0)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/70.0.3538.102 Safari/537.36
DNT: 1
Accept:
text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,
*/*;q=0.8
Accept-Encoding: gzip, deflate, br
```

Accept-Language: ko,en-US;q=0.9,en;q=0.8

### Set-Cookie

```

HTTP/1.1 200 OK
Server: Apache-Coyote/1.1
Set-Cookie: CookieName1=Example1; Expires=Tue, 27-Nov-2018 02:53:13 GMT
Set-Cookie: CookieName2=Example2; Expires=Tue, 27-Nov-2018 02:53:13 GMT
Set-Cookie: JSESSIONID=8EB8434C5776358C84017077E11A3300; Path=/
Content-Type: text/html;charset=ISO-8859-1
Content-Language: ko
Content-Length: 316

```

- Set-Cookie 가 .
- name : value 가 .

### 가 Set-Cookie 가 .

Name	Value	Domain	Path	Expires / Max-Age
CookieName1	Example1	localhost	/	2018-11-27T02:57:08.663Z
CookieName2	Example2	localhost	/	2018-11-27T02:57:08.663Z
JSESSIONID	8EB8434C5776358C84017077E11A3300	localhost	/	1969-12-31T23:59:59.000Z

가 가 .

```

GET /test HTTP/1.1
Host: localhost:8080
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_0)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/70.0.3538.102 Safari/537.36
DNT: 1
Accept:
text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,
*/*;q=0.8
Accept-Encoding: gzip, deflate, br
Accept-Language: ko,en-US;q=0.9,en;q=0.8
Cookie: JSESSIONID=8EB8434C5776358C84017077E11A3300; CookieName1=Example1;
CookieName2=Example2

```

### Domain

- Domain 가 .
- 가 .

- EX) hangame.com payco.com 가
- Domain 가
- hangame.com Domain
  - hangame.com 가
- hangame.com Domain hangame.com
  - accounts.hangame.com

### Path

- Domain 가 가
- Path가 Path가
- Path Set-Cookie

### Expires / Max-Age

- Expire Max-Age
- Expire 가
- Max-Age 가

### Secure

- Secure
- 가

### HttpOnly

- HttpOnly HTTP
- HttpOnly가 API

- 가
- Expires Max-Age 가 가
- Expires Max-Age 가 가
- 가

- (HTTPS)

- secure 가 HTTPS

### Http-only

- API XSS
- cross-site tracing (XST) cross-site request forgery (XSRF)
- HttpOnly 가

### Same-site

- 51
- 

### third-party

- 가
- 가
- 
- , HTML5 , 가 가

0, 1

- 0 Netscape 1 RFC 2109
- RFC 2109 Netscape .3
- - Netscape Name, Value, Expires, Domain, Path, Secure, 가
  - RFC 2109 Name, Value, Comment, Domain, Max-Age, Path, Secure, Version
- - Netscape 가 Expires
  - RFC 2109 delta-seconds
  - Netscape ; , ' ' RFC 2109 가
  - Netscape - " , RFC 2109
  - Netscape = = , RFC 2109

## RFC 6265, RFC 2109

- RFC 2109 , RFC 6265
- RFC 6265가 RFC 2109 RFC 2965 .4
- Set-Cookie
- RFC 2109 Name, Value, Comment, Domain, Max-Age, Path, Secure, Version
- RFC 6265 Name, Value, Expires, Domain, Max-Age, Path, Secure, HttpOnly
- Comment 가 , Version 가
- Expires Date 가 가 , HttpOnly HTTP  
( 가 API )
- - RFC 2109 가 300 , 4096 ,  
20  
\* at least 300 cookies  
\* at least 4096 bytes per cookie (as measured by the size of the characters that comprise the cookie non-terminal in the syntax description of the Set-Cookie header)  
\* at least 20 cookies per unique host or domain name
  - RFC 6265 가 3000 , 4096 ,  
50 가  
◦ At least 4096 bytes per cookie (as measured by the sum of the length of the cookie's name, value, and attributes).  
◦ At least 50 cookies per domain.  
◦ At least 3000 cookies total.
  - RFC 6265 ” “ 가
  - RFC 6265 가 Set-Cookie
- javax.servlet.http.Cookie
  - 6265



\* This class supports both the RFC 2109 and the RFC 6265 specifications. \* By default, cookies are created using RFC 6265.

- setVersion netscape, 2109 가

```
/**  
 * Sets the version of the cookie protocol this cookie complies with.
```



```

* Version 0 complies with the original Netscape cookie specification.
* Version 1 complies with RFC 2109.
* <p>
* Since RFC 2109 is still somewhat new, consider version 1 as experimental;
* do not use it yet on production sites.
*
* @param v
*         0 if the cookie should comply with the original Netscape
*         specification; 1 if the cookie should comply with RFC 2109
* @see #getVersion
*/
public void setVersion(int v) {
    version = v;
}

```

- default 가 0 (netscape)가 가 .
- RFC 6265 Expires가 maxAge .

```

private final String name;
private String value;

private int version = 0; // ;Version=1 ... means RFC 2109 style

//
// Attributes encoded in the header's cookie fields.
//
private String comment; // ;Comment=VALUE ... describes cookie's use
private String domain; // ;Domain=VALUE ... domain that sees cookie
private int maxAge = -1; // ;Max-Age=VALUE ... cookies auto-expire
private String path; // ;Path=VALUE ... URLs that see the cookie
private boolean secure; // ;Secure ... e.g. use SSL
private boolean httpOnly; // Not in cookie specs, but supported by browsers

```

- maxAge Expires가 .

▼ Permanent Cookies	
▼ rfc6265	6265
Expires	Mon, 22-Oct-2018 00:21:45 GMT
Max Age	100
Domain	hangame.com

## 6.0~8.5 .

### 6.0

### 6.0

## DIGEST 6.0.x Manager App WWW-Authenticate

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=52983](https://bz.apache.org/bugzilla/show_bug.cgi?id=52983)
- - 401

```
HTTP/1.1 401 Unauthorized
Pragma: No-cache
Cache-Control: no-cache
Expires: Thu, 01 Jan 1970 10:00:00 EST
WWW-Authenticate: Basic realm="Tomcat Manager Application"
Set-Cookie: JSESSIONID=****removed****; Path=/manager
WWW-AuthenticateREDUNDANT: Basic realm="Tomcat Manager Application"
Content-Type: text/html
Transfer-Encoding: chunked
Vary: Accept-Encoding
Date: Mon, 26 Mar 2012 03:39:09 GMT
Server: Coyote
```

- - 6.0.36
    - 401.jsp ( )
    - 가 가
- ""

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=57896](https://bz.apache.org/bugzilla/show_bug.cgi?id=57896)

- - ```
Name: foo
Value: bar "baz"
```
  - ```
Actual value:
[Cookie received: foo="bar "baz\""]
Expected value:
[Cookie received: foo="bar \"baz\""]
```

- - 6.0.45

7.0

7.0

### JSESSIONID가

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=60854](https://bz.apache.org/bugzilla/show_bug.cgi?id=60854)
-

- 가
- JSESSIONID 가
- 가 2 JSESSIONID 가
- 
- alwaysUseSession="true" ( 가 가 )

**ClusterSingleSignOn valve SingleSignOnEntry 가**

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=57338](https://bz.apache.org/bugzilla/show_bug.cgi?id=57338)
- 
- 7.0.62

8.0 ~ 8.5

**8.0 ~ 8.5**

**Domain 가**

- 
- domain
  - [java.lang.IllegalArgumentException](#): An invalid domain [.hangame.com] was specified for this cookie
  - at org.apache.tomcat.util.http.Rfc6265CookieProcessor.validateDomain([Rfc6265CookieProcessor.java:203](#))
  - at org.apache.tomcat.util.http.Rfc6265CookieProcessor.generateHeader([Rfc6265CookieProcessor.java:145](#))
- 
- Domain
- LegacyCookieProcessor context.xml

**Request.parseCookies() NullPointerException**

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=58578](https://bz.apache.org/bugzilla/show_bug.cgi?id=58578)
- 
- 8.0.29

**Rfc6265CookieProcessor 가**

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=58445](https://bz.apache.org/bugzilla/show_bug.cgi?id=58445)
- 
- 8.0.27

가 **Rfc6265CookieProcessor**가

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=60627](https://bz.apache.org/bugzilla/show_bug.cgi?id=60627)
- 
- 8.5.12
- version 0 RFC6265

## Set-Cookie 가 RFC

- [https://bz.apache.org/bugzilla/show\\_bug.cgi?id=60876](https://bz.apache.org/bugzilla/show_bug.cgi?id=60876)
- - 8.5.13

가

### HTTP Status 500 - Request processing failed; nested exception is java.lang.IllegalAr cookie value or attribute.

**type** Exception report

**message** Request processing failed; nested exception is java.lang.IllegalArgumentException: Control character in cookie value or attribute.

**description** The server encountered an internal error that prevented it from fulfilling this request.

**exception**

```
org.springframework.web.util.NestedServletException: Request processing failed; nested exception is java.lang.IllegalAr
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:894)
org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:778)
javax.servlet.http.HttpServlet.service(HttpServlet.java:618)
javax.servlet.http.HttpServlet.service(HttpServlet.java:725)
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:52)
```

**root cause**

```
java.lang.IllegalArgumentException: Control character in cookie value or attribute.
org.apache.tomcat.util.http.LegacyCookieProcessor.needsQuotes(LegacyCookieProcessor.java:431)
org.apache.tomcat.util.http.LegacyCookieProcessor.generateHeader(LegacyCookieProcessor.java:303)
```

- URLEncoder.encode

CookieController - ===== CookieController - Name : CookieName1 Value : %C7%D1%B1%DB%8C%5%D7%BD%BA%6%AE1 CookieController - Name : CookieName2 Value : %22%C7%D1%B1%DB%8C%5%D7%BD%BA%6%AE2%22 CookieController - Name : %C7%D1%B1%DB%8C%5%D7%BD%BA%6%AE3 Value : Value3 CookieController - Name : CookieName4 Value : !#\$ CookieController - Name : JSESSIONID Value : EC15422CDCB16E4A7B15776C44ED6841 CookieController - =====	HTTP/1.1 200 OK Server: Apache-Coyote/1.1 Set-Cookie: CookieName1=%C7%D1%B1%DB%8C%5%D7%BD%BA%6%AE1 Set-Cookie: CookieName2=%22%C7%D1%B1%DB%8C%5%D7%BD%BA%6%AE2%22 Set-Cookie: %C7%D1%B1%DB%8C%5%D7%BD%BA%6%AE3=Value3 Content-Type: text/html
--	--

- Tomcat 8.5

CookieController - ===== CookieController - Name : CookieName1 Value : 한글테스트1 CookieController - Name : CookieName2 Value : 한글테스트2 CookieController - Name : %ED%95%9C%EA%B8%80%ED%85%8C%EC%8A%A4%ED%8A%B83 Value : Value3 CookieController - Name : JSESSIONID Value : EA7DD1577F4C3FACD984DF3402C9E21 CookieController - =====	HTTP/1.1 200 Set-Cookie: CookieName1=한글테스트1 Set-Cookie: CookieName2="한글테스트2" Set-Cookie: %ED%95%9C%EA%B8%80%ED%85%8C%EC%8A%A4%ED%8A%B83=Value3 Content-Type: text/html; charset=ISO-8859-1
---	--

=가 = 가

CookieController - ===== CookieController - Name : CookieName1 Value : Before CookieController - Name : CookieName2 Value : Before CookieController - Name : JSESSIONID Value : 395EBD87DEB6B5A44E67DB1943D88E15 CookieController - =====	Accept-Encoding: gzip, deflate, br Accept-Language: ko,en-US;q=0.9,en;q=0.8 Cookie: CookieName1=Before=After; CookieName2=Before==After; CookieName3====== JSESSIONID=395EBD87DEB6B5A44E67DB1943D88E15
---	---

- - =가 " "  
○ org.apache.catalina.STRICT\_SERVLET\_COMPLIANCE=true =가  
" "  
○ catalina.properties



```
        * index values into their "Base64 Alphabet" equivalents
as specified
        * in "Table 1: The Base64 Alphabet" of RFC 2045 (and RFC
4648).
    */
    private static final char[] toBase64 = {
        'A', 'B', 'C', 'D', 'E', 'F', 'G', 'H', 'I', 'J', 'K',
'L', 'M',
        'N', 'O', 'P', 'Q', 'R', 'S', 'T', 'U', 'V', 'W', 'X',
'Y', 'Z',
        'a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j', 'k',
'l', 'm',
        'n', 'o', 'p', 'q', 'r', 's', 't', 'u', 'v', 'w', 'x',
'y', 'z',
        '0', '1', '2', '3', '4', '5', '6', '7', '8', '9', '+',
'/'
    };

    /**
     * It's the lookup table for "URL and Filename safe
Base64" as specified
     * in Table 2 of the RFC 4648, with the '+' and '/'
changed to '-' and
     * '_'. This table is used when BASE64_URL is specified.
    */
    private static final char[] toBase64URL = {
        'A', 'B', 'C', 'D', 'E', 'F', 'G', 'H', 'I', 'J', 'K',
'L', 'M',
        'N', 'O', 'P', 'Q', 'R', 'S', 'T', 'U', 'V', 'W', 'X',
'Y', 'Z',
        'a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j', 'k',
'l', 'm',
        'n', 'o', 'p', 'q', 'r', 's', 't', 'u', 'v', 'w', 'x',
'y', 'z',
        '0', '1', '2', '3', '4', '5', '6', '7', '8', '9', '-',
'_'
    };
```

- o Java 8 java.util.Base64 getURLencoder().encode .
- o 8 org.apache.commons.codec.binary.Base64 encodeBase64URLSafeString .

가 가 가

# HTTP Status 500 – Internal Server Error

**Type** Exception Report

**Message** Request processing failed; nested exception is java.lang.IllegalArgumentException: Cookie name [(CookieName1)] is a reserved token

**Description** The server encountered an unexpected condition that prevented it from fulfilling the request.

**Exception**

```
org.springframework.web.util.NestedServletException: Request processing failed; nested exception is java.lang.IllegalArgumentException: Cookie name [(CookieName1)] is a reserved token
    org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:894)
    org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:778)
    javax.servlet.http.HttpServlet.service(HttpServlet.java:635)
    javax.servlet.http.HttpServlet.service(HttpServlet.java:742)
    org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:52)
```

- 
- 
- Tomcat 6
  - 가 value가
  - value

```

        makeCookie(response, "(CookieName1)",
"Bracket");
        makeCookie(response, "{CookieName2}",
"Bracket");
        makeCookie(response, "[CookieName3]",
"Bracket");
        makeCookie(response, "CookieName4",
"(Bracket)");
        makeCookie(response, "CookieName5",
"{Bracket}");
        makeCookie(response, "CookieName6",
"[Bracket]");

```

<pre> .CookieController - ----- .CookieController - Name : CookieName1 Value : .CookieController - Name : CookieName2 Value : .CookieController - Name : CookieName3 Value : .CookieController - Name : JSESSIONID Value : 5E4B160512920A4D213E5E2D8FEFEEBCB .CookieController - ----- </pre>	<pre> Accept-Encoding: gzip, deflate, br Accept-Language: ko,en-US;q=0.9,en;q=0.8 Cookie: (CookieName1)=Bracket; (CookieName2)=Bracket; [CookieName3]=Bracket; CookieName4=(Bracket); CookieName5={Bracket}; CookieName6=[Bracket]; JSESSIONID=5E4B160512920A4D213E5E2D8FEFEEBCB </pre>
---	---

- Tomcat 7

## HTTP Status 500 – Internal Server Error

**Type** Exception Report

**Message** Request processing failed; nested exception is java.lang.IllegalArgumentException: Cookie name [(CookieName1)] is a reserved token

**Description** The server encountered an unexpected condition that prevented it from fulfilling the request.

**Exception**

```
org.springframework.web.util.NestedServletException: Request processing failed; nested exception is java.lang.IllegalArgumentException: Cookie name [(CookieName1)] is a reserved token
    org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:894)
    org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:778)
    javax.servlet.http.HttpServlet.service(HttpServlet.java:635)
    javax.servlet.http.HttpServlet.service(HttpServlet.java:742)
    org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:52)
```

- 
- URLEncoder.encode ( Decoding )

Last update: http\_cookie  
2019/06/12 - - https://at1.kr/dokuwiki/doku.php/http\_cookie%EC%99%80\_%ED%86%B0%EC%BA%A3\_%EB%B2%84%EC%A0%84%EB%B3%84\_%EC%9D%B4%EC%8A%88?rev=1560320401  
06:20 - -

```
CookieController - =====  
CookieController - Name : (CookieName1) Value : Bracket  
CookieController - Name : {CookieName2} Value : Bracket  
CookieController - Name : [CookieName3] Value : Bracket  
CookieController - Name : CookieName4 Value : (Bracket)  
CookieController - Name : CookieName5 Value : {Bracket}  
CookieController - Name : CookieName6 Value : [Bracket]  
CookieController - Name : JSESSIONID Value : 5B0A4909254ED2D5897D9EBA5E937374  
CookieController - =====  
DNT: 1  
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8  
Accept-Encoding: gzip, deflate, br  
Accept-Language: ko,en-US;q=0.9,en;q=0.8  
Cookie: %28CookieName1%29=Bracket; %7BCookieName2%7D=Bracket; %5BCookieName3%5D=Bracket; CookieName4=%28Bracket%29; CookieName5=%7BBBracket%7D; CookieName6=%5BBBracket%5D; JSESSIONID=5B0A4909254ED2D5897D9EBA5E937374
```

- [1][https://en.wikipedia.org/wiki/HTTP\\_cookie#History](https://en.wikipedia.org/wiki/HTTP_cookie#History)
- [2][http://web.archive.org/web/20020803110822/http://wp.netscape.com/newsref/std/cookie\\_spec.html](http://web.archive.org/web/20020803110822/http://wp.netscape.com/newsref/std/cookie_spec.html)
- [3]<https://tools.ietf.org/html/rfc2109>
- [4]<https://tools.ietf.org/html/rfc6265>

From:  
<https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://at1.kr/dokuwiki/doku.php/http\\_cookie%EC%99%80\\_%ED%86%B0%EC%BA%A3\\_%EB%B2%84%EC%A0%84%EB%B3%84\\_%EC%9D%B4%EC%8A%88?rev=1560320401](https://at1.kr/dokuwiki/doku.php/http_cookie%EC%99%80_%ED%86%B0%EC%BA%A3_%EB%B2%84%EC%A0%84%EB%B3%84_%EC%9D%B4%EC%8A%88?rev=1560320401)

Last update: 2019/06/12 06:20

