RHEV / oVirt Interr	nal User Management		
	<u> </u>		
ア			
,			
Management Co	nsole Login		
RHEV 3.6	-		4
RHV 4.0			4
Management Co	nsole User Managemer	nt	
-	2		

RHEV / oVirt Internal User Management

— 2017/04/25 15:45

RHEV/oVirt	admin	가	가/	가 .				
PostgreSQL	RHEV/c	virt Manageme	nternal L nt 가/	iomain 가				
・ フト LDAP	Internal Dom	ain	LDAP 가	·				
	ovirt-aaa-	jdbc-tool						
가								
가	가	-						
<pre>[root@rhv4-m ~]# ovirt-aaa-jdbc-tool user add user1 attribute=firstName=user1 adding user user1 user added successfully Note: by default created user cannot log in. see: /usr/bin/ovirt-aaa-jdbc-tool user password-resethelp.</pre>								
가	71	passv	vord-reset					
	가.							
<pre>[root@rhv4-m ~ password=pass: updating user user updated s</pre>]# ovirt-aaa-jdb redhat user1 uccessfully	oc-tool user	password-reset	userl				

Management Console Login

redhat

가

RHV/oVirt Management Console

RHEV 3.6

RHEV 3.6

ovirt-aaa-jdbc-tool user edit user1 --attribute=firstName=user1 --accountvalid-to="2017-12-31 23:59:59Z" --password-valid-to="2017-12-31 23:59:59Z"

RHV 4.0

RHV 4.0



8



▲ admin@internal-authz > 설정 가이드 버전정보 피드



Management Console User Management

admin Management Console Setting 가 .

						×	☆ Q							설정 메뉴 흥	클릭
<u>.</u> E	네트워크	스토리지	디스크	가상머신	풀	템플릿	볼륨	사용기	<u>የ</u>						이벤트
한번 실	반실행 ▲) ▼ C 및 ▼ 마이그레이션 마이그레이션 취소 변환 취소 템플릿 성성 내보내기 스냅샷 성성 CD 변경 태그 설정 🍰 가이드 🕹 ▼ 1.2 🄇														
Ē	IP ^a	주소	FQDN	클러스	스터	데이터 센터	1	메모리	CPU	네트워크	그래픽	상태	업타임	설명	
Lh1								13%	0%	0	% SPICE				
I-h1				Defa	ult	Default		. 0%	. 0%	. 0	% SPICE	Up	26 min		

설정	<u> </u>			 			×
역할	추가 11거						
시스템 권한 스케줄링 정책	사용자		인증 공급자	네임스페이스		역할	
인스턴스 유형	Everyone admin (admin@internal-aut)	hz)	internal-authz	*		UserProf	
MAC 수소 불 사	용자에게 시스템 권한 추가 💿		internal datiz	 _			8
	◉ 사용자 🛛 그룹						
	검색: internal (internal-authz) ▼	네임스페이스: *	T		검색		
	이름	성		사용자 이름			
6	☑ user1						
0	admin admin			admin			
(user2			user2			
	할당된 역할: UserVmManager ▼						[달기]
						OK 추	

internal_user_management https://atl.kr/dokuwiki/doku.php/internal_user_management?rev=1493353916

가 가

.

•

Last update: 2017/04/28 04:31

2025/04/03 18:25	7/7		RHEV / oVirt Internal User	r Management
가상 머신 편집 🔞				8
일반 시스템	클러스터		Default 데이터 센터: Default	T
초기 실행 콘솔	템플릿		Blank (0)	•
호스트 고가용성	운영 시스템		Red Hat Enterprise Linux 6.x x64	•
리소스 할당 부트 옵션	인스턴스 유형	63	사용자 정의	•
난수 생성기 사용자 정의 속성	최적화 옵션		데스크탑	T
아이콘 Foreman/Satellite	비디오 유형		QXL	•
	그래픽 프로토콜		SPICE	•
	USB 지원		비활성화됨	•
	논솔 분리 작업 미니터		화면 잠금	
	단일 로그인 방식 ○ 단일 로그인 비활성화		세크 애제	
	 게스트 에이전트 사용 			-
고급 옵션 숨기기				OK 취소

PCI

가

