

jboss-deployment-structure.xml 3
..... 4

jboss-deployment-structure.xml

jboss-deployment-structure.xml

```
<jboss-deployment-structure xmlns="urn:jboss:deployment-structure:1.2">
  <ear-subdeployments-isolated>true</ear-subdeployments-isolated>
  <deployment>
    <exclude-subsystems>
      <subsystem name="jaxrs" />
    </exclude-subsystems>
    <exclusions>
      <module name="org.javassist" />
    </exclusions>
    <dependencies>
      <module name="deployment.javassist.proxy" />
      <module name="deployment.myjavassist" />
      <module name="myservicemodule" services="import"/>
    </dependencies>
    <resources>
      <resource-root path="my-library.jar" />
    </resources>
  </deployment>
  <sub-deployment name="myapp.war">
    <dependencies>
      <module name="deployment.myear.ear.myejbjar.jar" />
    </dependencies>
    <local-last value="true" />
  </sub-deployment>
  <module name="deployment.myjavassist" >
    <resources>
      <resource-root path="javassist.jar" >
        <filter>
          <exclude path="javassist/util/proxy" />
        </filter>
      </resource-root>
    </resources>
  </module>
  <module name="deployment.javassist.proxy" >
    <dependencies>
      <module name="org.javassist" >
        <imports>
          <include path="javassist/util/proxy" />
          <exclude path="/**" />
        </imports>
      </module>
    </dependencies>
  </module>
```

```
</jboss-deployment-structure>
```

- https://access.redhat.com/documentation/en-us/red_hat_jboss_enterprise_application_platform/7.4/html/development_guide/class_loading_and_modules

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

<https://atl.kr/dokuwiki/doku.php/jboss-deployment-structure.xml>

Last update: **2021/10/26 12:28**

