

<b>JBoss EAP 6.x Global Module</b>	.....	3
	.....	3
<b>module.xml</b>	.....	3
<b>Global module</b>	.....	4
<b>1. WEB GUI</b>	.....	4
<b>2. Configuration</b>	.....	5
	.....	5

Last  
update: jboss\_eap\_6.x\_global\_module - https://atl.kr/dokuwiki/doku.php/jboss\_eap\_6.x\_global\_module\_%EC%B6%94%EA%B0%80?rev=1427947994  
2015/06/18  
15:49

---

# JBoss EAP 6.x Global Module

JBoss Global Module  
 Standalone    Domain  
 modules

가

Deployment

Oracle JDBC Driver    global modules

ojdbc.jar  
 module  
**com/oracle/jdbc**

JBoss  
**modules/system/layers/base/**

JBoss EAP 6.x

```
[user@host ~]$ mkdir $JBoss_HOME/modules/system/layers/base/com/oracle/jdbc
```

**main**

```
[user@host ~]$ mkdir  

$JBoss_HOME/modules/system/layers/base/com/oracle/jdbc/main
```

oracle.jar                                  jar

```
$JBoss_HOME/modules/system/layers/base/com/oracle/jdbc/main/ojdbc.jar
```

## module.xml

jar

```
[user@host ~]$ vim  

$JBoss_HOME/modules/system/layers/base/com/oracle/jdbc/main/module.xml
```

module.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<module xmlns="urn:jboss:module:1.1" name="com.oracle.jdbc">
  <resources>
    <resource-root path="ojdbc.jar"/>
  </resources>
```

Last update: jboss\_eap\_6.x\_global\_module\_ 가 https://atl.kr/dokuwiki/doku.php/jboss\_eap\_6.x\_global\_module\_%EC%B6%94%EA%B0%80?rev=1427947994  
2015/06/18 15:49

</module>

# Global module

가

Global Module

가 가 WEB GUI

JBoss EAP 6.x

Configuraion

## 1. WEB GUI

The screenshot shows the JBoss EAP 6.3.3.GA configuration interface. The top navigation bar includes Home, Configuration (selected), Runtime, and Administration. The left sidebar lists various subsystems: Subsystems, Connector (JCA, Datasources, Resource Adapters, Mail), Container (Transactions, EJB 3, EE, JPA), Core (Logging, Deployment Scanners, Threads, JMX), Infinispan, Security, and Web (Servlet/HTTP, Web Services). The main content area is titled 'EE Subsystem' and describes the EE subsystem configuration. A 'Create Module' dialog is open in the foreground, prompting for 'Name:' (empty) and 'Slot:' (set to 'main'). Below the dialog are 'Add' and 'Remove' buttons, and a list of modules currently in the slot. Navigation controls at the bottom right include '<<', '<', '1-1 of 1', '>', and '>>'. At the bottom of the dialog are 'Cancel' and 'Save' buttons.

WEB GUI

Configuraion - Container - EE - Add

Name : com.oracle.jdbc  
Slot : main

## 2. Configuration

standalone.xml      domain.xml

```
<subsystem xmlns="urn:jboss:domain:ee:1.2">
  <global-modules>
    <module name="com.oracle.jdbc" slot="main"/>
  </global-modules>
  ...
  ...
```

RedHat Document

- [https://access.redhat.com/documentation/en-US/JBoss\\_Enterprise\\_Application\\_Platform/6.4/html/Administration\\_and\\_Configuration\\_Guide/chap-Configuring\\_Modules.html](https://access.redhat.com/documentation/en-US/JBoss_Enterprise_Application_Platform/6.4/html/Administration_and_Configuration_Guide/chap-Configuring_Modules.html)
- <https://access.redhat.com/solutions/195403>

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/jboss\\_eap\\_6.x\\_global\\_module\\_%EC%B6%94%EA%B0%80?rev=1427947994](https://atl.kr/dokuwiki/doku.php/jboss_eap_6.x_global_module_%EC%B6%94%EA%B0%80?rev=1427947994)

Last update: 2015/06/18 15:49

