

JBoss EAP 6.x Global Module	3
	3
module.xml	3
Global module	4
1. WEB GUI	4
2. Configuration	5
	5

Last
update: jboss_eap_6.x_global_module - https://atl.kr/dokuwiki/doku.php/jboss_eap_6.x_global_module_%EC%B6%94%EA%B0%80?rev=1427947994
2015/06/18
15:49

JBoss EAP 6.x Global Module

Oracle JDBC Driver global modules

ojdbc.jar JBoss module **modules/system/layers/base/com/oracle/jdbc** JBoss EAP 6.x

```
[user@host ~]$ mkdir $JBoss_HOME/modules/system/layers/base/com/oracle/jdbc
```

main

```
[user@host ~]$ mkdir  
$JBoss_HOME/modules/system/layers/base/com/oracle/jdbc/main
```

oracle.jar . jar

\$JBoss_HOME/modules/system/layers/base/com/oracle/jdbc/main/ojdbc.jar

module.xml

jar

```
[user@host ~]$ vim  
$JBoss_HOME/modules/system/layers/base/com/oracle/jdbc/main/module.xml
```

module.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<module xmlns="urn:jboss:module:1.1" name="com.oracle.jdbc">
    <resources>
        <resource-root path="ojdbc.jar"/>
    </resources>
```

Last update: jboss_eap_6.x_global_module_ 2015/06/18 가 https://atl.kr/dokuwiki/doku.php/jboss_eap_6.x_global_module_%EC%B6%94%EA%B0%80?rev=1427947994
15:49

</module>

Global module

가

Global Module

JBoss EAP 6.x

가 가 WEB GUI

Configuraion

1. WEB GUI

The screenshot shows the JBoss EAP 6.3.3.GA configuration interface. The top navigation bar includes Home, Configuration (selected), Runtime, and Administration. The left sidebar lists various subsystems: Subsystems, Connector (JCA, Datasources, Resource Adapters, Mail), Container (Transactions, EJB 3, EE selected, JPA), Core (Logging, Deployment Scanners, Threads, JMX), Infinispan, Security, and Web (Servlet/HTTP, Web Services). The main content area is titled 'EE Subsystem' and describes the EE subsystem configuration. A 'Create Module' dialog is open in the foreground, prompting for 'Name:' (empty) and 'Slot:' (set to 'main'). Below the dialog are 'Add' and 'Remove' buttons, and a list of modules (empty). Navigation buttons at the bottom right include '<<', '<', '1-1 of 1', '>', and '>>'. The status bar at the bottom indicates 'Messages: 3' and the JBoss logo.

WEB GUI

Configuraion - Container - EE - Add

Name : com.oracle.jdbc
Slot : main

2. Configuration

standalone.xml domain.xml

```
<subsystem xmlns="urn:jboss:domain:ee:1.2">
  <global-modules>
    <module name="com.oracle.jdbc" slot="main"/>
  </global-modules>
  ...
  ...
```

RedHat Document

- https://access.redhat.com/documentation/en-US/JBoss_Enterprise_Application_Platform/6.4/html/Administration_and_Configuration_Guide/chap-Configuring_Modules.html
- <https://access.redhat.com/solutions/195403>

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/jboss_eap_6.x_global_module_%EC%B6%94%EA%B0%80?rev=1427947994

Last update: 2015/06/18 15:49

