

- JBoss EAP 6.x Global Module** 3
- 3
- module.xml** 3
- Global module** 4
- 1. WEB GUI** 4
- 2. Configuration** 5
- 5

JBoss EAP 6.x Global Module

JBoss Global Module

Standalone Domain
modules

가

Deployment

Oracle JDBC Driver global modules

ojdbc.jar
module

JBoss

JBoss EAP 6.x

**modules/system/layers/base/
com/oracle/jdbc**

```
[user@host ~]$ mkdir $JBOSS_HOME/modules/system/layers/base/com/oracle/jdbc
```

main

```
[user@host ~]$ mkdir  
$JBOSS_HOME/modules/system/layers/base/com/oracle/jdbc/main
```

oracle.jar jar

```
$JBOSS_HOME/modules/system/layers/base/com/oracle/jdbc/main/ojdbc.jar
```

module.xml

jar

```
[user@host ~]$ vim  
$JBOSS_HOME/modules/system/layers/base/com/oracle/jdbc/main/module.xml
```

module.xml


```
<?xml version="1.0" encoding="UTF-8"?>  
<module xmlns="urn:jboss:module:1.1" name="com.oracle.jdbc">  
  <resources>  
    <resource-root path="ojdbc.jar"/>  
  </resources>
```

</module>

Global module

가 Global Module JBoss EAP 6.x
가 가 WEB GUI Configuraion

1. WEB GUI



WEB GUI Configuraion - Container - EE - Add

Name : com.oracle.jdbc
Slot : main

2. Configuration

standalone.xml domain.xml .

```
<subsystem xmlns="urn:jboss:domain:ee:1.2">
  <global-modules>
    <module name="com.oracle.jdbc" slot="main"/>
  </global-modules>
  ...
  ...
```

RedHat Document

- https://access.redhat.com/documentation/en-US/JBoss_Enterprise_Application_Platform/6.4/html/Administration_and_Configuration_Guide/chap-Configuring_Modules.html
- <https://access.redhat.com/solutions/195403>

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/jboss_eap_6.x_global_module_%EC%B6%94%EA%B0%80?rev=1434642540

Last update: **2015/07/29 02:04**

