

JBoss EAP 6/7 Clustering	3
CLI	3
.....	3
.....	3
.....	3
.....	3

JBoss EAP 6/7 Clustering

CLI

CLI

가

.

```
/subsystem=logging/logger=org.jgroups:add(level=TRACE)
/subsystem=logging/logger=org.infinispan:add(level=TRACE)
```

```
) xml 가 . ( xml
```

```
<logger category="org.jgroups">
  <level name="TRACE"/>
</logger>
<logger category="org.infinispan">
  <level name="TRACE"/>
</logger>
```

TRACE

CLI

.

```
/subsystem=logging/logger=org.jgroups:write-
attribute(name=level,value="INFO")
/subsystem=logging/logger=org.infinispan:write-
attribute(name=level,value="INFO")
```

가

CLI

.

```
/subsystem=logging/logger=org.jgroups:remove
/subsystem=logging/logger=org.infinispan:remove
```

- <https://access.redhat.com/solutions/337963>

From: <https://at1.kr/dokuwiki/> - **AllThatLinux!**

Permanent link: https://at1.kr/dokuwiki/doku.php/jboss_eap_6_7%EC%9D%98_clustering_%EA%B4%80%EB%A0%A8_%EB%A1%9C%EA%B7%B8_%EB%A0%88%EB%B2%A8_%EB%B3%80%EA%B2%BD

Last update: **2019/12/09 07:32**

