

JBoss EAP 7 JDBC Global module 3
..... 4

JBoss EAP 7 JDBC Global module

WildFly(JBoss)	jboss-deployment-structure.xml	jboss-web.xml	JBoss
가	Logging	, 가	
Context Path	DB war	JNDI Context Path	DB .

- jboss-deployment-structure.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<jboss-deployment-structure xmlns="urn:jboss:deployment-structure:1.1">
  <deployment>
    <exclusions>
      <!-- Disable jboss slf4j module to enable Logback -->
      <module name="org.slf4j" />
      <module name="org.slf4j.impl" />
      <module name="org.slf4j.jcl-over-slf4j"/>
      <module name="org.apache.commons.logging"/>
      <module name="org.apache.log4j"/>
      <module name="jdbc.resultsettable"/>
      <module name="jdbc.sqlonly"/>
    </exclusions>
  </deployment>
</jboss-deployment-structure>
```

- jboss-web.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<jboss-web xmlns="http://www.jboss.com/xml/ns/javaee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="
    http://www.jboss.com/xml/ns/javaee
    http://www.jboss.org/j2ee/schema/jboss-web_5_1.xsd">
  <!-- Wildfly Context Path -->
  <context-root>/myproject</context-root>
  <!-- Wildfly JNDI -->
  <resource-ref>
    <res-ref-name>jdbc/mydb</res-ref-name>
    <jndi-name>java:/mydb</jndi-name>
  </resource-ref>
</jboss-web>
```

Last
update: jboss_eap_7_jdbc_global_module_ https://atl.kr/dokuwiki/doku.php/jboss_eap_7_jdbc_global_module_%EC%84%A4%EC%A0%95
2021/03/29
02:23

- <https://okky.kr/article/635956>

From:
<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:
https://atl.kr/dokuwiki/doku.php/jboss_eap_7_jdbc_global_module_%EC%84%A4%EC%A0%95

Last update: **2021/03/29 02:23**

