

- JBoss EAP 7 max-post-size** 3
- JBoss EAP 6.x/7.x max-post-size*** 3
- JBoss EAP 6.x/7.x post size limit*** 4
- EAP 6 4
- EAP 7 4
- 5

JBoss EAP 7 max-post-size

JBoss EAP 6.x/7.x max-post-size

- JBoss EAP 6.x : 2097152= 2MiB

가

```
[standalone@localhost:9999 /]
/subsystem=web/connector=http:read-resource(include-runtime=true)
{
  "outcome" => "success",
  "result" => {
    .....
    "max-connections" => undefined,
    "max-post-size" => 2097152,
    "max-save-post-size" => 4096,
    "maxTime" => 0,
    .....
  }
}
```

- JBoss EAP 7.x : 10485760 = 10MiB

가

```
[standalone@localhost:9990 /] /subsystem=undertow/server=default-
server/http-listener=default:read-resource(include-runtime=true)
{
  "outcome" => "success",
  "result" => {
    "allow-encoded-slash" => false,
    .....
    "max-parameters" => 1000,
    "max-post-size" => 10485760L,
    "max-processing-time" => 0L,
    .....
    "url-charset" => "UTF-8",
    "worker" => "default",
    "write-timeout" => undefined
  }
}
```

JBoss EAP 6.x/7.x post size limit

EAP 6

EAP 6 max-post-size

0

.

```
[standalone@localhost:9999 /]  
/subsystem=web/connector=http:write-attribute(name=max-post-size, value=0)
```

xml

.

```
<subsystem xmlns="urn:jboss:domain:web:2.2" default-virtual-server="default-  
host" native="false">  
  <connector name="http" protocol="HTTP/1.1" scheme="http" socket-  
binding="http" max-post-size="0"/>  
  <virtual-server name="default-host" enable-welcome-root="true">  
    <alias name="localhost"/>  
    <alias name="example.com"/>  
  </virtual-server>  
</subsystem>
```

EAP 7

EAP 7.2+

max-post-size

0

. EAP 7.1

0

. Long.MAX_VALUE(9223372036854775807)

```
[standalone@localhost:9999 /] /subsystem=undertow/server=default-  
server/http-listener=default/:write-attribute(name=max-post-size,value=0)
```

xml

.

```
<subsystem xmlns="urn:jboss:domain:undertow:3.1">  
  <buffer-cache name="default"/>  
  <server name="default-server">  
    <http-listener name="default" max-post-size="0" socket-  
binding="http" redirect-socket="https"/>  
    <host name="default-host" alias="localhost">  
      <location name="/" handler="welcome-content"/>  
      <filter-ref name="server-header"/>  
      <filter-ref name="x-powered-by-header"/>  
    </host>
```

```
</server>
```

- <https://access.redhat.com/solutions/714173>

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/jboss_eap_7_max-post-size_%EB%B3%80%EA%B2%BD

Last update: **2023/01/09 08:24**

