

JBoss EAP 8 update 3
..... 22

JBoss EAP 8 update

```
JBoss EAP 8      maven repository      . RedHat
  maven repository      .
8                jboss-eap-installation-manager.sh      .
```

Ex) ./bin/jboss-eap-installation-manager.sh update perform --offline
 --repositories=file:/root/jboss/jboss-eap-8.0.3.GA-maven-repository/maven-
 repository/ --yes

```
[root@test-rhel9 jboss]# cd jboss-eap-8.0
[root@test-rhel9 jboss-eap-8.0]# ll
total 464
drwxr-xr-x. 3 root root    27 Jan 19  2024 appclient
drwxr-xr-x. 4 root root  4096 Jan 19  2024 bin
drwxr-xr-x. 5 root root    52 Jan 19  2024 docs
drwxr-xr-x. 4 root root    38 Jan 19  2024 domain
-rw-r--r--. 1 root root   419 Jan 19  2024 JBossEULA.txt
-rw-r--r--. 1 root root 431592 Jan 19  2024 jboss-modules.jar
-rw-r--r--. 1 root root  26530 Jan 19  2024 LICENSE.txt
drwxr-xr-x. 3 root root    20 Jan 19  2024 modules
drwxr-xr-x. 6 root root    68 Jan 19  2024 standalone
-rw-r--r--. 1 root root    63 Jan 19  2024 version.txt
drwxr-xr-x. 4 root root   158 Jan 19  2024 welcome-content
[root@test-rhel9 jboss-eap-8.0]# ./bin/jboss-eap-installation-manager.sh
update perform --offline --repositories=file:/root/jboss/jboss-eap-8.0.3.GA-
maven-repository/maven-repository/ --yes
Updating server: /root/jboss/jboss-eap-8.0/.

Updates found:
  com.fasterxml:classmate                                1.5.1.redhat-00001
==> 1.5.1.redhat-00004
  com.fasterxml.jackson.core:jackson-annotations        2.15.2.redhat-00001
==> 2.15.4.redhat-00001
  com.fasterxml.jackson.core:jackson-core                2.15.2.redhat-00001
==> 2.15.4.redhat-00001
  com.fasterxml.jackson.core:jackson-databind            2.15.2.redhat-00001
==> 2.15.4.redhat-00001
  com.fasterxml.jackson.dataformat:jackson-dataformat-cbor
2.15.2.redhat-00001 ==> 2.15.4.redhat-00001
  com.fasterxml.jackson.datatype:jackson-datatype-jdk8
2.15.2.redhat-00001 ==> 2.15.4.redhat-00001
  com.fasterxml.jackson.datatype:jackson-datatype-jsr310
2.15.2.redhat-00001 ==> 2.15.4.redhat-00001
  com.fasterxml.jackson.jakarta.rs:jackson-jakarta-rs-base
2.15.2.redhat-00001 ==> 2.15.4.redhat-00001
  com.fasterxml.jackson.jakarta.rs:jackson-jakarta-rs-json-provider
2.15.2.redhat-00001 ==> 2.15.4.redhat-00001
```

```
com.fasterxml.jackson.module:jackson-module-jakarta-xmlbind-annotations
2.15.2.redhat-00001 ==> 2.15.4.redhat-00001
com.fasterxml.woodstox:woodstox-core 6.4.0.redhat-00001
==> 6.4.0.redhat-00002
com.github.ben-manes.caffeine:caffeine 3.1.6.redhat-00005
==> 3.1.8.redhat-00002
com.github.fge:btf 1.2.0.redhat-00007
==> 1.2.0.redhat-00017
com.github.fge:msg-simple 1.1.0.redhat-00007
==> 1.1.0.redhat-00015
com.google.code.gson:gson 2.8.9.redhat-00001
==> 2.8.9.redhat-00002
com.google.guava:failureaccess 1.0.1.redhat-00003
==> 1.0.2.redhat-00001
com.google.guava:guava 32.1.1.jre-
redhat-00001 ==> 33.0.0.jre-redhat-00002
com.redhat.insights:runtimes-java-api 1.0.9.redhat-00001
==> 1.1.2.redhat-00001
com.redhat.insights:runtimes-java-core-runtime 1.0.9.redhat-00001
==> 1.1.2.redhat-00001
com.sun.istack:istack-commons-runtime 4.1.1.redhat-00001
==> 4.1.2.redhat-00003
com.sun.istack:istack-commons-tools 4.1.1.redhat-00001
==> 4.1.2.redhat-00003
com.sun.xml.bind.external:relaxng-datatype 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
com.sun.xml.bind.external:rngom 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
commons-beanutils:commons-beanutils 1.9.4.redhat-00002
==> 1.9.4.redhat-00004
commons-cli:commons-cli 1.4.0.redhat-00001
==> 1.4.0.redhat-00003
commons-codec:commons-codec 1.15.0.redhat-00008
==> 1.15.0.redhat-00016
commons-io:commons-io 2.11.0.redhat-00001
==> 2.11.0.redhat-00003
io.netty:netty-buffer 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
io.netty:netty-codec 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
io.netty:netty-codec-dns 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
io.netty:netty-codec-http 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
io.netty:netty-codec-socks 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
io.netty:netty-common 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
io.netty:netty-handler 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
io.netty:netty-handler-proxy 4.1.100.Final-
```

```

redhat-00001 ==> 4.1.108.Final-redhat-00001
  io.netty:netty-resolver 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
  io.netty:netty-resolver-dns 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
  io.netty:netty-transport 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
  io.netty:netty-transport-classes-epoll 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
  io.netty:netty-transport-native-epoll 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
  io.netty:netty-transport-native-unix-common 4.1.100.Final-
redhat-00001 ==> 4.1.108.Final-redhat-00001
  io.reactivex.rxjava3:rxjava 3.1.6.redhat-00001
==> 3.1.8.redhat-00001
  io.smallrye:jandex 3.0.6.redhat-00001
==> 3.0.8.redhat-00001
  io.undertow:undertow-core 2.3.10.SP3-
redhat-00001 ==> 2.3.14.SP1-redhat-00001
  io.undertow:undertow-servlet 2.3.10.SP3-
redhat-00001 ==> 2.3.14.SP1-redhat-00001
  io.undertow:undertow-websockets-jsr 2.3.10.SP3-
redhat-00001 ==> 2.3.14.SP1-redhat-00001
  jakarta.activation:jakarta.activation-api 2.1.2.redhat-00001
==> 2.1.2.redhat-00005
  jakarta.annotation:jakarta.annotation-api 2.1.1.redhat-00001
==> 2.1.1.redhat-00003
  jakarta.batch:jakarta.batch-api 2.1.1.redhat-00001
==> 2.1.1.redhat-00003
  jakarta.inject:jakarta.inject-api 2.0.1.redhat-00001
==> 2.0.1.redhat-00005
  jakarta.interceptor:jakarta.interceptor-api 2.1.0.redhat-00001
==> 2.1.0.redhat-00002
  jakarta.jms:jakarta.jms-api 3.1.0.redhat-00002
==> 3.1.0.redhat-00003
  jakarta.json:jakarta.json-api 2.1.2.redhat-00001
==> 2.1.3.redhat-00002
  jakarta.mail:jakarta.mail-api 2.1.2.redhat-00001
==> 2.1.3.redhat-00002
  jakarta.persistence:jakarta.persistence-api 3.1.0.redhat-00001
==> 3.1.0.redhat-00002
  jakarta.servlet:jakarta.servlet-api 6.0.0.redhat-00001
==> 6.0.0.redhat-00006
  jakarta.transaction:jakarta.transaction-api 2.0.1.redhat-00002
==> 2.0.1.redhat-00004
  jakarta.validation:jakarta.validation-api 3.0.2.redhat-00001
==> 3.0.2.redhat-00005
  jakarta.websocket:jakarta.websocket-api 2.1.0.redhat-00002
==> 2.1.1.redhat-00001
  jakarta.websocket:jakarta.websocket-client-api 2.1.0.redhat-00002
==> 2.1.1.redhat-00001

```

jakarta.ws.rs:jakarta.ws.rs-api	3.1.0.redhat-00001
==> 3.1.0.redhat-00002	
jakarta.xml.bind:jakarta.xml.bind-api	4.0.0.redhat-00001
==> 4.0.1.redhat-00001	
joda-time:joda-time	2.12.1.redhat-00001
==> 2.12.7.redhat-00002	
net.bytebuddy:byte-buddy	1.14.7.redhat-00002
==> 1.14.18.redhat-00001	
org.antlr:antlr4	4.10.0.redhat-00001
==> 4.10.1.redhat-00001	
org.antlr:antlr4-runtime	4.10.0.redhat-00001
==> 4.10.1.redhat-00001	
org.apache.activemq:artemis-cli	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-commons	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-core-client	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-dto	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-hornetq-protocol	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-hqclient-protocol	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-jakarta-client	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-jakarta-ra	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-jakarta-server	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-jakarta-service-extensions	2.21.0.redhat-00045
2.21.0.redhat-00045 ==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-jdbc-store	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-journal	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-selector	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.activemq:artemis-server	2.21.0.redhat-00045
==> 2.21.0.redhat-00052	
org.apache.cxf:cxf-core	4.0.0.redhat-00002
==> 4.0.4.redhat-00001	
org.apache.cxf:cxf-rt-bindings-coloc	4.0.0.redhat-00002
==> 4.0.4.redhat-00001	
org.apache.cxf:cxf-rt-bindings-soap	4.0.0.redhat-00002
==> 4.0.4.redhat-00001	
org.apache.cxf:cxf-rt-bindings-xml	4.0.0.redhat-00002
==> 4.0.4.redhat-00001	
org.apache.cxf:cxf-rt-databinding-aegis	4.0.0.redhat-00002
==> 4.0.4.redhat-00001	
org.apache.cxf:cxf-rt-databinding-jaxb	4.0.0.redhat-00002

```
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-features-clustering 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-features-logging 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-frontend-jaxws 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-frontend-simple 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-management 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-security 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-security-saml 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-transport-http 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-transport-http-hc 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-transport-jms 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-transport-local 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-ws-addr 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-ws-mex 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-ws-policy 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-ws-rm 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-ws-security 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-rt-wsdl 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-tools-common 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-tools-java2ws 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-tools-validator 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-tools-wsdlto-core 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-tools-wsdlto-databinding-jaxb 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf:cxf-tools-wsdlto-frontend-jaxws 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf.services.sts:cxf-services-sts-core 4.0.0.redhat-00002
==> 4.0.4.redhat-00001
  org.apache.cxf.services.ws-discovery:cxf-services-ws-discovery-api
4.0.0.redhat-00002 ==> 4.0.4.redhat-00001
```

org.apache.httpcomponents:httpasyncclient	4.1.5.redhat-00001
==> 4.1.5.redhat-00005	
org.apache.httpcomponents:httpclient	4.5.14.redhat-00002
==> 4.5.14.redhat-00012	
org.apache.httpcomponents:httpcore	4.4.16.redhat-00001
==> 4.4.16.redhat-00010	
org.apache.httpcomponents:httpcore-nio	4.4.16.redhat-00001
==> 4.4.16.redhat-00010	
org.apache.httpcomponents:httpmime	4.5.14.redhat-00002
==> 4.5.14.redhat-00012	
org.apache.james:apache-mime4j-core	0.8.9.redhat-00001
==> 0.8.11.redhat-00001	
org.apache.james:apache-mime4j-dom	0.8.9.redhat-00001
==> 0.8.11.redhat-00001	
org.apache.james:apache-mime4j-storage	0.8.9.redhat-00001
==> 0.8.11.redhat-00001	
org.apache.lucene:lucene-analyzers-common	8.11.2.redhat-00001
==> 8.11.3.redhat-00001	
org.apache.lucene:lucene-core	8.11.2.redhat-00001
==> 8.11.3.redhat-00001	
org.apache.lucene:lucene-facet	8.11.2.redhat-00001
==> 8.11.3.redhat-00001	
org.apache.lucene:lucene-join	8.11.2.redhat-00001
==> 8.11.3.redhat-00001	
org.apache.lucene:lucene-queries	8.11.2.redhat-00001
==> 8.11.3.redhat-00001	
org.apache.lucene:lucene-queryparser	8.11.2.redhat-00001
==> 8.11.3.redhat-00001	
org.apache.neethi:neethi	3.1.1.redhat-1
==> 3.2.0.redhat-00004	
org.apache.santuario:xmlsec	3.0.3.redhat-00001
==> 3.0.4.redhat-00005	
org.apache.sshd:sshd-common	2.9.2.redhat-00001
==> 2.12.1.redhat-00002	
org.apache.sshd:sshd-core	2.9.2.redhat-00001
==> 2.12.1.redhat-00002	
org.apache.velocity:velocity-engine-core	2.3.0.redhat-00001
==> 2.3.0.redhat-00009	
org.apache.ws.xmlschema:xmlschema-core	2.3.0.redhat-00001
==> 2.3.0.redhat-00002	
org.apache.wss4j:wss4j-bindings	3.0.0.redhat-00001
==> 3.0.3.redhat-00008	
org.apache.wss4j:wss4j-policy	3.0.0.redhat-00001
==> 3.0.3.redhat-00008	
org.apache.wss4j:wss4j-ws-security-common	3.0.0.redhat-00001
==> 3.0.3.redhat-00008	
org.apache.wss4j:wss4j-ws-security-dom	3.0.0.redhat-00001
==> 3.0.3.redhat-00008	
org.apache.wss4j:wss4j-ws-security-policy-stax	3.0.0.redhat-00001
==> 3.0.3.redhat-00008	
org.apache.wss4j:wss4j-ws-security-stax	3.0.0.redhat-00001


```

==> 3.0.3.redhat-00008
    org.bitbucket.b_c:jose4j 0.9.3.redhat-00002
==> 0.9.6.redhat-00001
    org.bouncycastle:bcjmail-jdk18on 1.76.0.redhat-00001
==> 1.78.1.redhat-00001
    org.bouncycastle:bcpg-jdk18on 1.76.0.redhat-00001
==> 1.78.1.redhat-00001
    org.bouncycastle:bcpkix-jdk18on 1.76.0.redhat-00001
==> 1.78.1.redhat-00001
    org.bouncycastle:bcprov-jdk18on 1.76.0.redhat-00001
==> 1.78.1.redhat-00001
    org.bouncycastle:bcutil-jdk18on 1.76.0.redhat-00001
==> 1.78.1.redhat-00001
    org.codehaus.plexus:plexus-interpolation 1.26.0.redhat-00005
==> 1.26.0.redhat-00006
    org.codehaus.plexus:plexus-utils 3.5.0.redhat-00002
==> 3.5.0.redhat-00003
    org.codehaus.woodstox:stax2-api 4.2.1.redhat-00001
==> 4.2.2.redhat-00001
    org.eclipse:yasson 3.0.2.redhat-00001
==> 3.0.3.redhat-00002
    org.eclipse.angus:angus-activation 2.0.1.redhat-00001
==> 2.0.1.redhat-00006
    org.eclipse.angus:angus-mail 2.0.2.redhat-00001
==> 2.0.3.redhat-00001
    org.eclipse.jgit:org.eclipse.jgit 6.2.0.202206071550-
r-redhat-00001 ==> 6.6.1.202309021850-r-redhat-00001
    org.eclipse.jgit:org.eclipse.jgit.ssh.apache 6.2.0.202206071550-
r-redhat-00001 ==> 6.6.1.202309021850-r-redhat-00001
    org.eclipse.parsson:parsson 1.1.2.redhat-00001
==> 1.1.5.redhat-00002
    org.glassfish:jakarta.faces 4.0.4.redhat-00001
==> 4.0.7.redhat-00001
    org.glassfish:jakarta.json 1.1.6.redhat-00001
==> 1.1.6.redhat-00003
    org.glassfish.jaxb:codemodel 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
    org.glassfish.jaxb:jaxb-core 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
    org.glassfish.jaxb:jaxb-jxc 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
    org.glassfish.jaxb:jaxb-runtime 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
    org.glassfish.jaxb:jaxb-xjc 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
    org.glassfish.jaxb:txw2 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
    org.glassfish.jaxb:xsom 4.0.1.redhat-00001
==> 4.0.5.redhat-00001
    org.hibernate.orm:hibernate-core 6.2.13.Final-
redhat-00001 ==> 6.2.26.Final-redhat-00001

```

```
org.hibernate.orm:hibernate-envers 6.2.13.Final-redhat-00001 ==> 6.2.26.Final-redhat-00001
org.hibernate.search:hibernate-search-backend-elasticsearch 6.2.1.Final-redhat-00001 ==> 6.2.2.Final-redhat-00001
org.hibernate.search:hibernate-search-backend-lucene 6.2.1.Final-redhat-00001 ==> 6.2.2.Final-redhat-00001
org.hibernate.search:hibernate-search-engine 6.2.1.Final-redhat-00001 ==> 6.2.2.Final-redhat-00001
org.hibernate.search:hibernate-search-mapper-orm-orm6 6.2.1.Final-redhat-00001 ==> 6.2.2.Final-redhat-00001
org.hibernate.search:hibernate-search-mapper-pojo-base 6.2.1.Final-redhat-00001 ==> 6.2.2.Final-redhat-00001
org.hibernate.search:hibernate-search-util-common 6.2.1.Final-redhat-00001 ==> 6.2.2.Final-redhat-00001
org.hibernate.validator:hibernate-validator 8.0.0.Final-redhat-00001 ==> 8.0.1.Final-redhat-00001
org.hibernate.validator:hibernate-validator-cdi 8.0.0.Final-redhat-00001 ==> 8.0.1.Final-redhat-00001
org.infinispan:infinispan-cachestore-jdbc-common-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-cachestore-jdbc-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-cachestore-remote 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-cdi-common-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-cdi-embedded-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-cdi-remote-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-client-hotrod-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-clustered-counter 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-clustered-lock 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-commons-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-component-annotations 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-core-jakarta 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-hibernate-cache-commons 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-hibernate-cache-spi 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-hibernate-cache-v62 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-objectfilter 14.0.17.Final-redhat-00002 ==> 14.0.30.Final-redhat-00001
org.infinispan:infinispan-query 14.0.17.Final-
```

```

redhat-00002 ==> 14.0.30.Final-redhat-00001
  org.infinispan:infinispan-query-core 14.0.17.Final-
redhat-00002 ==> 14.0.30.Final-redhat-00001
  org.infinispan:infinispan-query-dsl 14.0.17.Final-
redhat-00002 ==> 14.0.30.Final-redhat-00001
  org.infinispan:infinispan-remote-query-client 14.0.17.Final-
redhat-00002 ==> 14.0.30.Final-redhat-00001
  org.infinispan.protostream:protostream 4.6.5.Final-
redhat-00003 ==> 4.6.5.Final-redhat-00006
  org.infinispan.protostream:protostream-types 4.6.5.Final-
redhat-00003 ==> 4.6.5.Final-redhat-00006
  org.jasypt:jasypt 1.9.3.redhat-00002
==> 1.9.3.redhat-00004
  org.jberet:jberet-core 2.1.1.Final-
redhat-00001 ==> 2.1.4.Final-redhat-00001
  org.jboss.jboss-ejb-client 5.0.5.Final-
redhat-00001 ==> 5.0.6.Final-redhat-00001
  org.jboss.eap:jboss-insights 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:jipijapa-eclipselink 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:jipijapa-hibernate6 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:jipijapa-hibernatesearch 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:jipijapa-spi 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-appclient 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-batch-jberet 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-bean-validation 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-client-all 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-common 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-context 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-ee-cache 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-ee-hotrod 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-ee-infinispan 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-ee-spi 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-ejb-cache 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-ejb-client 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001

```

```
org.jboss.eap:wildfly-clustering-ejb-extension      8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-ejb-infinispan    8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-ejb-spi          8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-el-expressly     8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-faces-api        8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-faces-mojarra    8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-client-api 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-client-service 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-client-spi 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-embedded-api 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-embedded-service 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-embedded-spi 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-extension 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-infinispan-marshalling 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-jgroups-api      8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-jgroups-extension 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-jgroups-spi      8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-marshalling-api  8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-marshalling-jboss 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-marshalling-protostream 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-marshalling-spi  8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-server-api      8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-server-extension 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-server-infinispan 8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-server-service  8.0.0.GA-  
redhat-00011 ==> 8.0.5.GA-redhat-00001  
org.jboss.eap:wildfly-clustering-server-spi      8.0.0.GA-
```

```
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-service 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-singleton-api 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-singleton-extension 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-singleton-server 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-singleton-service 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-api 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-cache 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-container 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-extension 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-hotrod 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-infinispan 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-service 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-spi 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-web-undertow 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-weld-core 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-weld-ejb 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-clustering-weld-web 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-connector 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-datasources-agroal 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-ee 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-ee-feature-pack-product-conf 8.0.0.GA-
redhat-00011 ==> 8.0.3.0.GA-redhat-00004
  org.jboss.eap:wildfly-ee-galleon-pack 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-ee-security 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-ejb3 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-elytron-oidc-client-subsystem 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
```

org.jboss.eap:wildfly-health	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-iiop-openjdk	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-jaxrs	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-jdr	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-jpa	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-jsf	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-jsf-injection	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-jsr77	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-keycloak	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-mail	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-messaging-activemq-injection	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-messaging-activemq-subsystem	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-metrics	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-mod_cluster-extension	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-mod_cluster-undertow	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-naming	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-picketlink	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-pojo	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-rts	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-sar	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-security	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-system-jmx	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-transactions	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-undertow	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-web-common	8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001	
org.jboss.eap:wildfly-webservices-opensaml-sysconfig	8.0.0.GA-

```

redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-webservices-server-integration      8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld                                8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld-bean-validation                 8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld-common                          8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld-ejb                             8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld-jpa                             8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld-spi                             8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld-transactions                   8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-weld-webservices                    8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.eap:wildfly-xts                                  8.0.0.GA-
redhat-00011 ==> 8.0.5.GA-redhat-00001
  org.jboss.hal:hal-console                                  3.6.17.Final-
redhat-00001 ==> 3.6.19.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-common-api              3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-common-impl            3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-common-spi             3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-core-api               3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-core-impl              3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-deployers-common       3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-jdbc                   3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.ironjacamar:ironjacamar-validator              3.0.2.Final-
redhat-00002 ==> 3.0.8.Final-redhat-00001
  org.jboss.logmanager:log4j2-jboss-logmanager             1.1.1.Final-
redhat-00001 ==> 1.1.2.Final-redhat-00002
  org.jboss.mod_cluster:mod_cluster-container-spi          2.0.1.Final-
redhat-00001 ==> 2.0.3.Final-redhat-00001
  org.jboss.mod_cluster:mod_cluster-core                    2.0.1.Final-
redhat-00001 ==> 2.0.3.Final-redhat-00001
  org.jboss.mod_cluster:mod_cluster-load-spi                2.0.1.Final-
redhat-00001 ==> 2.0.3.Final-redhat-00001
  org.jboss.modules:jboss-modules                          2.1.0.Final-
redhat-00001 ==> 2.1.4.Final-redhat-00001
  org.jboss.narayana:jbosstxbridge                          6.0.1.Final-
redhat-00001 ==> 6.0.2.Final-redhat-00002

```

org.jboss.narayana.compensations:compensations redhat-00001 ==> []	6.0.1.Final-
org.jboss.narayana.jts:narayana-jts-idlj redhat-00001 ==> 6.0.2.Final-redhat-00002	6.0.1.Final-
org.jboss.narayana.jts:narayana-jts-integration redhat-00001 ==> 6.0.2.Final-redhat-00002	6.0.1.Final-
org.jboss.narayana.rts:restat-api redhat-00001 ==> 6.0.2.Final-redhat-00002	6.0.1.Final-
org.jboss.narayana.rts:restat-bridge redhat-00001 ==> 6.0.2.Final-redhat-00002	6.0.1.Final-
org.jboss.narayana.rts:restat-integration redhat-00001 ==> 6.0.2.Final-redhat-00002	6.0.1.Final-
org.jboss.narayana.rts:restat-util redhat-00001 ==> 6.0.2.Final-redhat-00002	6.0.1.Final-
org.jboss.narayana.xts:jbossxts redhat-00001 ==> 6.0.2.Final-redhat-00002	6.0.1.Final-
org.jboss.openjdk-orb:openjdk-orb redhat-00001 ==> 10.1.0.Final-redhat-00001	9.0.1.Final-
org.jboss.remoting:jboss-remoting redhat-00001 ==> 5.0.29.Final-redhat-00001	5.0.27.SP2-
org.jboss.resteasy:resteasy-atom-provider redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-cdi redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-client redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-client-api redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-core redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-core-spi redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-crypto redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-jackson2-provider redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-jaxb-provider redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-jsapi redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-json-binding-provider redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-json-p-provider redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-multipart-provider redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-rxjava2 redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.resteasy:resteasy-validator-provider redhat-00001 ==> 6.2.7.Final-redhat-00002	6.2.4.Final-
org.jboss.ws.cxf:jbossws-cxf-client	7.0.0.Final-


```

redhat-00001 ==> 7.1.0.Final-redhat-00002
  org.jboss.ws.cxf:jbossws-cxf-factories 7.0.0.Final-
redhat-00001 ==> 7.1.0.Final-redhat-00002
  org.jboss.ws.cxf:jbossws-cxf-resources 7.0.0.Final-
redhat-00001 ==> 7.1.0.Final-redhat-00002
  org.jboss.ws.cxf:jbossws-cxf-server 7.0.0.Final-
redhat-00001 ==> 7.1.0.Final-redhat-00002
  org.jboss.ws.cxf:jbossws-cxf-transports-udp 7.0.0.Final-
redhat-00001 ==> 7.1.0.Final-redhat-00002
  org.jboss.ws.cxf:jbossws-cxf-transports-undertow 7.0.0.Final-
redhat-00001 ==> 7.1.0.Final-redhat-00002
  org.jboss.xnio:xnio-api 3.8.12.SP2-
redhat-00001 ==> 3.8.16.Final-redhat-00001
  org.jboss.xnio:xnio-nio 3.8.12.SP2-
redhat-00001 ==> 3.8.16.Final-redhat-00001
  org.jboss.xnio.netty:netty-xnio-transport 0.1.9.Final-
redhat-00001 ==> 0.1.10.Final-redhat-00001
  org.jgroups:jgroups 5.2.18.Final-
redhat-00001 ==> 5.2.23.Final-redhat-00001
  org.jgroups.kubernetes:jgroups-kubernetes 2.0.1.Final-
redhat-00001 ==> 2.0.2.Final-redhat-00001
  org.reactivestreams:reactive-streams 1.0.4.redhat-00002
==> 1.0.4.redhat-00003
  org.slf4j:slf4j-api 2.0.7.redhat-00002
==> 2.0.13.redhat-00001
  org.wildfly.channel:channel-core 1.0.5.Final-
redhat-00001 ==> 1.0.6.Final-redhat-00001
  org.wildfly.channel:maven-resolver 1.0.5.Final-
redhat-00001 ==> 1.0.6.Final-redhat-00001
  org.wildfly.core:wildfly-cli 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-controller 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-controller-client 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-core-management-client 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-core-management-subsystem 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-core-security 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-deployment-repository 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-deployment-scanner 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-discovery 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-domain-http-interface 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001
  org.wildfly.core:wildfly-domain-management 21.0.5.Final-
redhat-00001 ==> 21.0.10.Final-redhat-00001

```

org.wildfly.core:wildfly-elytron-integration redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-elytron-tool-wrapper redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-embedded redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-event-logger redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-host-controller redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-installation-manager redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-io redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-jar-runtime redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-jmx redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-launcher redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-logging redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-management-client-content redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-network redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-patching redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-platform-mbean redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-process-controller redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-protocol redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-remoting redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-request-controller redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-security-manager redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-server redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-threads redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.core:wildfly-version redhat-00001 ==> 21.0.10.Final-redhat-00001	21.0.5.Final-
org.wildfly.discovery:wildfly-discovery-client redhat-00001 ==> 1.3.0.Final-redhat-00001	1.2.1.Final-
org.wildfly.galleon-plugins:wildfly-config-gen redhat-00001 ==> 6.4.9.Final-redhat-00001	6.4.8.Final-
org.wildfly.galleon-plugins:wildfly-galleon-plugins	6.4.8.Final-

```

redhat-00001 ==> 6.4.9.Final-redhat-00001
  org.wildfly.prospero:prospero-cli 1.1.6.Final-
redhat-00001 ==> 1.1.13.Final-redhat-00002
  org.wildfly.prospero:prospero-common 1.1.6.Final-
redhat-00001 ==> 1.1.13.Final-redhat-00002
  org.wildfly.prospero:prospero-metadata 1.1.6.Final-
redhat-00001 ==> 1.1.13.Final-redhat-00002
  org.wildfly.prospero:prospero-wildfly-galleon-pack 1.1.6.Final-
redhat-00001 ==> 1.1.13.Final-redhat-00002
  org.wildfly.security:wildfly-elytron-asn1 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-audit 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-auth 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-auth-server 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-auth-server-deprecated
2.2.2.Final-redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-auth-server-http 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-auth-server-sasl 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-auth-util 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-base 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-client 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-credential 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-credential-source-impl
2.2.2.Final-redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-credential-store 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-digest 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-encryption 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-http 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-http-basic 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-http-bearer 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-http-cert 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-http-digest 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-http-external 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001

```

org.wildfly.security:wildfly-elytron-http-form	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-http-oidc	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-http-spnego	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-http-sso	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-http-stateful-basic	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-http-util	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-jose-jwk	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-jose-util	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-json-util	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-keystore	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-mechanism	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-mechanism-digest	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-mechanism-gssapi	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-mechanism-http	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-mechanism-oauth2	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-mechanism-scam	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-password-impl	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-permission	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-provider-util	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-realm	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-realm-jdbc	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-realm-ldap	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-realm-token	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-sasl	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-sasl-anonymous	2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001	
org.wildfly.security:wildfly-elytron-sasl-auth-util	2.2.2.Final-

```

redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-digest      2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-entity     2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-external  2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-gs2       2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-gssapi    2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-localuser 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-oidc      2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-oauth2    2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-otp       2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-plain     2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-sasl-scram     2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-security-manager 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-security-manager-action
2.2.2.Final-redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-ssh-util       2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-ssl            2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-tool          2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-util          2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-x500          2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-x500-cert     2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-x500-cert-acme 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-x500-cert-util 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security:wildfly-elytron-x500-principal 2.2.2.Final-
redhat-00001 ==> 2.2.6.Final-redhat-00001
  org.wildfly.security.elytron-web:undertow-server    4.0.0.Final-
redhat-00001 ==> 4.0.1.Final-redhat-00001
  org.wildfly.security.elytron-web:undertow-server-servlet 4.0.0.Final-
redhat-00001 ==> 4.0.1.Final-redhat-00001
  org.wildfly.transaction:wildfly-transaction-client  3.0.2.Final-
redhat-00001 ==> 3.0.5.Final-redhat-00001
  org.wildfly.wildfly-http-client:wildfly-http-client-common 2.0.6.Final-
redhat-00001 ==> 2.0.7.Final-redhat-00001

```

```
org.wildfly.wildfly-http-client:wildfly-http-ejb-client      2.0.6.Final-redhat-00001 ==> 2.0.7.Final-redhat-00001
org.wildfly.wildfly-http-client:wildfly-http-naming-client  2.0.6.Final-redhat-00001 ==> 2.0.7.Final-redhat-00001
org.wildfly.wildfly-http-client:wildfly-http-transaction-client
2.0.6.Final-redhat-00001 ==> 2.0.7.Final-redhat-00001
org.yaml:snakeyaml                                          2.0.0.redhat-00003
==> 2.0.0.redhat-00012
software.amazon.ion:ion-java                               1.0.2.redhat-00004
==> 1.0.2.redhat-00005
wsdl4j:wsdl4j                                              1.6.3.redhat-2
==> 1.6.3.redhat-00008
Feature-packs resolved.
Packages installed.
Downloaded artifacts.
JBoss modules installed.
Configurations generated.
JBoss examples installed.

Build update complete!
Applying updates
Update complete!
Operation completed in 15.03 seconds.
[root@test-rhel9 jboss-eap-8.0]#
```

- <https://access.redhat.com/solutions/7060467>
- https://docs.redhat.com/en/documentation/red_hat_jboss_enterprise_application_platform/8.0/html-single/updating_red_hat_jboss_enterprise_application_platform

From:
<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:
https://atl.kr/dokuwiki/doku.php/jboss_eap_8_update?rev=1727329350

Last update: **2024/09/26 05:42**

