

|                                  |   |
|----------------------------------|---|
| <b>JBoss with WebSocket</b>      | 3 |
| .....                            | 3 |
| WebSocket                        | 3 |
| MOD_CLUSTER가    WEBSOCKET        | 3 |
| MOD_PROXY_BALANCER가    WEBSOCKET | 3 |
| JBoss 6.4 HTTP Connector NIO     | 5 |
| NIO    Websocket                 | 5 |
| .....                            | 5 |
| Websocket                        | 5 |



# JBoss with WebSocket

Red Hat JBoss (EAP)

- 4.x
- 5.x
- 6.x
- 7.x

## WebSocket

- EAP 7.0
  - [JBoss EAP \(Enterprise Application Platform\) 7](#)
- EAP 6.4.x
  - WebSocket NIO HTTP Connector
  - CDI EE6 EE7 [JBoss EAP](#)
  - 6.4.0 - § 2.1
- EAP 6.4 :
  - WebSockets EAP 6.3
  - [EAP 6.3](#)

## MOD\_CLUSTER가 WEBSOCKET



**mod\_cluster**

<https://issues.redhat.com/browse/MODCLUSTER-438>

## MOD\_PROXY\_BALANCER가 WEBSOCKET

mod\_proxy\_wstunnel Apache  
JBoss Web Server 3.0 Apache HTTPD

1) httpd.conf

```
LoadModule lbmethod_byrequests_module modules/mod_lbmethod_byrequests.so
```

```
LoadModule proxy_module modules/mod_proxy.so
LoadModule proxy_wstunnel_module modules/mod_proxy_wstunnel.so
LoadModule proxy_balancer_module modules/mod_proxy_balancer.so
```

2) `$HTTPD_HOME/conf.d/mod_proxy_wstunnel.conf` .

```
<VirtualHost *:80>
ServerAdmin webmaster@localhost
ServerName localhost
ServerAlias localhost

RewriteEngine On
RewriteCond %{HTTP:Connection} upgrade [NC]
RewriteCond %{HTTP:Upgrade} websocket [NC]
RewriteRule /app(.*) ws://localhost:8080/app$1 [P,L]

ProxyPass /app http://localhost:8080/app
ProxyPassReverse /app http://localhost:8080/app

<Proxy *>
    Order deny,allow
    Allow from all
</Proxy>
</VirtualHost>
```

3) `$HTTPD_HOME/conf.d/mod_proxy_wstunnel.conf` .

```
<VirtualHost *:80>
ServerAdmin webmaster@localhost
ServerName localhost
ServerAlias localhost

<Proxy balancer://wscluster>
    BalancerMember ws://127.0.0.1:8080 route=node1
    BalancerMember ws://127.0.0.1:8180 route=node2
    ProxySet stickysession=JSESSIONID|jsessionid
</Proxy>

<Proxy balancer://httpcluster>
    BalancerMember http://127.0.0.1:8080 route=node1
    BalancerMember http://127.0.0.1:8180 route=node2
    ProxySet stickysession=JSESSIONID|jsessionid
</Proxy>
```

```

RewriteEngine On
RewriteCond %{HTTP:Connection} upgrade [NC]
RewriteCond %{HTTP:Upgrade} websocket [NC]
RewriteRule /app(.*) balancer://wscluster/jboss-websocket-hello$1 [P,L]

ProxyPass /app balancer://httpcluster/app
ProxyPassReverse /app balancer://httpcluster/app
</VirtualHost>

```

## JBoss 6.4 HTTP Connector NIO

JBoss CLI

```

[standalone@node11:9999 /] /subsystem=web/connector=http/:write-
attribute(name=protocol,value=org.apache.coyote.http11.Http11NioProtocol)
{
    "outcome" => "success",
    "response-headers" => {
        "operation-requires-reload" => true,
        "process-state" => "reload-required"
    }
}
[standalone@node11:9999 /] reload

```

## NIO    WebSocket

- [https://access.redhat.com/documentation/en-US/JBoss\\_Enterprise\\_Application\\_Platform/6.3/html/Development\\_Guide/Create\\_a\\_Websocket\\_Application.html](https://access.redhat.com/documentation/en-US/JBoss_Enterprise_Application_Platform/6.3/html/Development_Guide/Create_a_Websocket_Application.html)
- [https://access.redhat.com/documentation/en-US/JBoss\\_Enterprise\\_Application\\_Platform/6.4/html/Development\\_Guide/Create\\_a\\_Websocket\\_Application.html](https://access.redhat.com/documentation/en-US/JBoss_Enterprise_Application_Platform/6.4/html/Development_Guide/Create_a_Websocket_Application.html)
- [https://access.redhat.com/documentation/en-us/red\\_hat\\_jboss\\_enterprise\\_application\\_platform/7.0/html/development\\_guide/creating\\_websocket\\_applications](https://access.redhat.com/documentation/en-us/red_hat_jboss_enterprise_application_platform/7.0/html/development_guide/creating_websocket_applications)

- <https://access.redhat.com/solutions/47442>
- <https://access.redhat.com/solutions/1585003>
- <https://access.redhat.com/solutions/2198371>
  - jboss-websocket-hello.war.zip

## Websocket

- <https://access.redhat.com/articles/2026253>

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

[https://atl.kr/dokuwiki/doku.php/jboss\\_with\\_websocket?rev=1584925170](https://atl.kr/dokuwiki/doku.php/jboss_with_websocket?rev=1584925170)

Last update: **2020/03/23 00:59**

