

<b>JSESSIONID sessionCookieName</b>	.....	3
<b>Tomcat 6.x</b>	.....	3
<b>Tomcat 7.x</b>	.....	3
<b>Tomcat 8.x</b>	.....	3
<b>mod-jk</b>	.....	4



# JSESSIONID sessionCookieName

## Tomcat 6.x

- <http://tomcat.apache.org/tomcat-6.0-doc/config/systemprops.html>

가.

```
-Dorg.apache.catalina.SESSION_COOKIE_NAME=MYSESSIONID  
-Dorg.apache.catalina.SESSION_PARAMETER_NAME=MYSESSIONID
```

## Tomcat 7.x

Context sessionCookieName attribute 가 .

```
<Context sessionCookieName="MYSESSIONID" cookies="true">
```

## Tomcat 8.x

Web Application Servlet 3.0 (web.xml )

WebApplication web.xml session-config - cookie-config - name

```
<?xml version="1.0" encoding="UTF-8"?>  
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  xmlns="http://java.sun.com/xml/ns/javaee"  
  xsi:schemaLocation="http://java.sun.com/xml/ns/javaee  
http://java.sun.com/xml/ns/javaee/web-app_3_0.xsd"  
  id="WebApp_ID" version="3.0">  
  
  <display-name>LDS</display-name>  
  
  <welcome-file-list>  
    <welcome-file>index.html</welcome-file>  
    <welcome-file>index.htm</welcome-file>  
    <welcome-file>index.jsp</welcome-file>  
    <welcome-file>default.html</welcome-file>  
    <welcome-file>default.htm</welcome-file>  
    <welcome-file>default.jsp</welcome-file>  
  </welcome-file-list>
```

```
<filter>
  <filter-name>Set Character Encoding</filter-name>
  <filter-class>filters.SetCharacterEncodingFilter</filter-class>
  <init-param>
    <param-name>encoding</param-name>
    <!-- <param-value>euc-kr</param-value> -->
    <param-value>UTF-8</param-value>
  </init-param>
</filter>

<filter-mapping>
  <filter-name>Set Character Encoding</filter-name>
  <url-pattern>/*</url-pattern>
</filter-mapping>

<!--           . -->
<session-config>
  <!--           ( ) -->
  <session-timeout>30</session-timeout>
  <!--           -->
  <cookie-config>
    <!--           Session Cookie Name           ,           -->
    mod-jk session_cookie
    <name>MYSESSIONID</name>

    <!-- HttpOnly           :           가           ,           . -->
    <http-only>true</http-only>

    <!-- Secure           : SSL           -->
    <!--
    <secure>true</secure>
    -->
  </cookie-config>

  <!-- url ;jsessionid           가           -->
  <tracking-mode>COOKIE</tracking-mode>
</session-config>

<!-- Clustering context -->
<distributed />
</web-app>
```

## mod-jk

mod-jk sticky-session worker balancer 가 .

worker.balancer.session\_cookie=MYSESSIONID

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

[https://atl.kr/dokuwiki/doku.php/jsessionid\\_sessioncookie\\_name\\_%EB%B3%80%EA%B2%BD](https://atl.kr/dokuwiki/doku.php/jsessionid_sessioncookie_name_%EB%B3%80%EA%B2%BD)

Last update: **2020/12/08 11:28**

