

|   |   |
|---|---|
| <b>KeepAlived VRID mismatch [Dropping received VRRP packet]</b> | 3 |
| .....   | 3 |
| .....   | 3 |
| .....   | 3 |
| .....   | 4 |
| .....   | 4 |



# KeepAlived VRID mismatch [Dropping received VRRP packet]

KeepAlived VRID mismatch VRID : virtual\_router\_id

message log 가 .

/var/log/message

```
Keepalived_vrrp[xxxx]: ip address associated with VRID not present in
received packet : 192.168.17.100
Keepalived_vrrp[xxxx]: one or more VIP associated with VRID mismatch actual
MASTER advert
Keepalived_vrrp[xxxx]: bogus VRRP packet received on eth0 !!!
Keepalived_vrrp[xxxx]: VRRP_Instance(VI_1) Dropping received VRRP packet...
```

가 VRID KeepAlived 가 (VIP 가 VRID  
가 ) ex> VIP 192.168.17.100 → VRID 20

VIP 192.168.17.150 -> VRID 20

KeepAlived 가 tcpdump vrid

```
# tcpdump -i eth0 host 224.0.0.18

10:59:10.697847 IP 192.168.17.100 > vrrp.mcast.net: VRRPv2, Advertisement,
vrid 20, prio 100, authtype simple, intvl 1s, length 20
10:59:10.698571 IP 192.168.17.150 > vrrp.mcast.net: VRRPv2, Advertisement,
vrid 20, prio 100, authtype simple, intvl 1s, length 20
```

- IP Multicast address [[https://en.wikipedia.org/wiki/Multicast\\_address#IPv4](https://en.wikipedia.org/wiki/Multicast_address#IPv4)]
- 224.0.0.18 Virtual Router Redundancy Protocol (VRRP)

keepalived.conf      vrid      KeepAlived      restart

```
'virtual_router_id 21'
```

- <https://hyuns1.tistory.com/entry/KeepAlived-VRID-mismatch-Dropping-received-VRRP-packet>

From:  
<https://at1.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://at1.kr/dokuwiki/doku.php/keepalived\\_vrid\\_mismatch\\_dropping\\_received\\_vrrp\\_packet?rev=1689299010](https://at1.kr/dokuwiki/doku.php/keepalived_vrid_mismatch_dropping_received_vrrp_packet?rev=1689299010)

Last update: **2023/07/14 01:43**

