

Last
update: linux_daemon - https://atl.kr/dokuwiki/doku.php/linux_daemon_%EC%A2%85%EB%A5%98%EC%99%80_%EC%84%A4%EB%AA%85
2015/06/18 -
15:49

- NetworkManager : 가
- Network Manager Dispatcher : ,

- acpi : ACPI
- anacron : downtime cron . anacron ' cron
- , anacron

- apmd : (syslog(8)) . Advanced Power Management Daemon acpid

- arptables_if : arptables
- atd : (at) . At
- . Cron

- auditd : . auditd auditing , syscall
- , (watch) .
- autofs : ()
- avahi-daemon : mDNS/DNS-SD protocol suite
 - 가 Avahi chat가
 - view Avahi Zeroconf
 - implementation. DNS IP

- bluetooth :
- chargen : (TCP)
- chargen-udp : UDP
- conman : conman

- cpuspeed : CPU Speed . CPU Speed
- crond :
- cups : Startup/shutdown script (Common Unix Printing System)
- cups-config-daemon : D-Bus
- cups-lpd : cups legacy lpd
- daytime : (TCP)
- daytime-udp : UDP
- dhcddb : DHCP Client D-Bus Daemon. dhcp client
- dhcpd : DHCP(Dynamic Host Control Protocol) Daemon. IP
- diskdump : diskdump
- dund : Dial Up Networking Daemon.
- echo : echo (TCP)
- echo-udp : UDP
- eklogin : Kerberos5 가
- firstboot : 가

- gpm : MC(midnight command)
 - () /)
- gssftp : Kerberized FTP Server (5 가)
- haldaemon :
- hidd : ID
- hplip, hpiod, hpssd : HP
- httpd : HTTP

- ibmasm : IBM Advance System Management PCI Adapter . RSA1
 - . (RSA2 RSA2 ibmasm)
- iiim :
- iptables :
- ip6tables : iptables IPv6
- irda : IrDA(Infrared Data Association)가
- irqbalance : CPU CPU interrupt
- isdn : ISDN
- klogin : 5 , dsd , rlogin
- krbs-telnet : 5 ,
- kshell : 5 , rshell
- kudzu : 가 hardware probe
- im-sensors :
- lisa : LAN Information Server .

- lm_sensors : HW
- mcstrans : . (SELinux)
- mdmonitor : RAID
- mdmpd :
- messagebus :
- microcode-ctl : CPU
- mysqld : MySQL DB
- named : DNS
- netdump : netconsol netcrashdump
- netfs : Samba/CIFS, NFS, NCP /
- netplugged : non-static network interface
- network :
- nfs : TCP/IP
- nfslock : NFS
- nscd : NIS/NS
- ntpd : NTPv4
- oddjobd : . Conga . Cluster

- pand :
- pcmcia : PC
- pcscd : PC/SC
- portmap : RPC(NFS, NIS, mcsev)
- psacct :
- rawdevices :
- rdisc :
- readahead : Startup 가
- readahead-early :
- restorecond : SELinux가
- rhnsd :
- rpcgssd : NFSv4 RPCSEC GSS
 - (NFSv4)
- rpcidmapd : UID GID (NFSv4)
- rpcsvcgssd : NFSv4 RPCSEC GSS (NFSv4)

- rsync : (crc check summing)
- rwhod : (finger)
- saslauthd : . SASL(Simple Authentication and Security Layer)
- sendmail : (Mail Transport Agent)
- smartd :
- smb : Samba
- snmpd : SNMP(Simple Network Management Protocol)
- snmptrapd : SNMP(Simple Network Management Protocol) TRAP
- spamassassin :
- squid : Proxy Server
- sshd : OpenSSH Server
- syslog :
- telnet : Telnet
- time : rdate RFC 868 (TCP)
- time-udp : UDP
- vncserver : GUI
- vsftpd : FTP Server
- winbind : Samba win bind
- wpa_supplicant : WPA (Wi-Fi proctected access)
- xfs : X-window
- xinetd : telnet, ftp, rlogin
- ypbnd : NIS/YP NIS
- yum-updatesd : Online package yum

From:

<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:

https://atl.kr/dokuwiki/doku.php/linux_daemon_%EC%A2%85%EB%A5%98%EC%99%80_%EC%84%A4%EB%AA%85

Last update: 2015/06/18 15:49

