



Last  
update: linux\_daemon – https://atl.kr/dokuwiki/doku.php/linux\_daemon\_%EC%A2%85%EB%A5%98%EC%99%80\_%EC%84%A4%EB%AA%85?rev=1422321483  
2015/06/18 –  
15:49

---

- NetworkManager : 가
- Network Manager Dispatcher : ,
  
- acpi : ACPI
- anacron : downtime cron . anacron ' cron , anacron
  
- apmd : (syslog(8)) . Advanced Power Management Daemon acpid
  
- arptables\_if : arptables
- atd : (at) . At . Cron
  
- auditd : . auditd auditing , syscall , watch )
- autofs : ( )
- bluetooth :
- chargen : (TCP)
- chargen-udp : UDP
- conman : conman
  
- cpuspeed : CPU Speed CPU Speed
- crond :
- cups : Startup/shutdown script (Common Unix Printing System)
- cups-config-daemon : D-Bus
- cups-lpd : cups legacy lpd
- daytime : (TCP)
- daytime-udp : UDP
- dhcddb : DHCP Client D-Bus Daemon. dhcp client
- diskdump : diskdump
- dund : Dial Up Networking Daemon.
- echo : echo (TCP)
- echo-udp : UDP
- eklogin : Kerberos5 가
- firstboot : 가
  
- gpm : MC(midnight command) ( / )
- gssftp : Kerberized FTP Server ( 5 가 )
- haldaemon :
- hidd : ID
- ibmasm : IBM Advance System Management PCI Adapter . RSA1 . RSA2 ibmasm )
- iiim :
- iptables :
- ip6tables : iptables IPv6
- irda : IrDA(Infrared Data Association)가
- irqbalance : CPU CPU interrupt
- isdn : ISDN

- klogin : 5 , dsd , rlogin
- krbs-telnet : 5 ,
- kshell : 5 , rshell
- kudzu : 가 hardware probe
- im-sensors :
- mcstrans : . (SELinux )
- mdmonitor : RAID
- mdmpd :
- messagebus :
- microcode-ctl : CPU
- netdump : netconsol netcrashdump
- netfs : Samba/CIFS, NFS, NCP /
- netplugged : non-static network interface
- network :
- nfs : TCP/IP
- nfslock : NFS
- nscd : NIS/NS
- ntpd : NTPv4
- oddjobd : . Conga . Cluster
- pand :
- pcmcia : PC
- pcscd : PC/SC
- portmap : RPC(NFS, NIS, mcsev )
- psacct :
- rawdevices :
- rdisc :
- readahead : Startup 가
- readahead-early :
- restorecond : SELinux가
- rhnsd :
- rpcgssd : NFSv4 RPCSEC GSS (NFSv4)
- rpcidmapd : UID GID (NFSv4)
- rpcsvcgssd : NFSv4 RPCSEC GSS (NFSv4)
- rsync : (crc check summing)
- rwhod : (finger )
- saslauthd : . SASL(Simple Authentication and Security Layer)
- sendmail : (Mail Transport Agent)
- smartd :
- snmpd : SNMP(Simple Network Management Protocol)
- snmptrapd : SNMP(Simple Network Management Protocol) TRAP
- sshd : OpenSSH Server
- syslog :
- telnet : Telnet
- time : rdate RFC 868 (TCP)
- time-udp : UDP
- uncserver : uncserver

- vsftpd : FTP Server
- winbind : Samba win bind
- wpa\_supplicant : WPA (Wi-Fi proctected access)
- xfs : X-window
- xinetd : telnet, ftp, rlogin
- ypbnd : NIS/YP NIS
- yum-updatesd : Online package yum

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/linux\\_daemon\\_%EC%A2%85%EB%A5%98%EC%99%80\\_%EC%84%A4%EB%AA%85?rev=1422321483](https://atl.kr/dokuwiki/doku.php/linux_daemon_%EC%A2%85%EB%A5%98%EC%99%80_%EC%84%A4%EB%AA%85?rev=1422321483)

Last update: 2015/06/18 15:49

