

Linux Namespaces	3
?	3
.....	4

Linux Namespaces

?

1 (init)

/prod/<PID>/ns ID
가

```
$ ls -al /proc/1/ns
total 0
dr-x---x--x 2 root root 0 Jan 31 03:47 .
dr-xr-xr-x 9 root root 0 Jan 24 14:46 ..
lrwxrwxrwx 1 root root 0 Jan 31 03:47 cgroup -> 'cgroup:[4026531835]'
lrwxrwxrwx 1 root root 0 Jan 31 03:47 ipc -> 'ipc:[4026531839]'
lrwxrwxrwx 1 root root 0 Jan 31 03:47 mnt -> 'mnt:[4026531840]'
lrwxrwxrwx 1 root root 0 Jan 31 03:47 net -> 'net:[4026531993]'
lrwxrwxrwx 1 root root 0 Jan 31 03:47 pid -> 'pid:[4026531836]'
lrwxrwxrwx 1 root root 0 Jan 31 03:47 pid_for_children -> 'pid:[4026531836]'
lrwxrwxrwx 1 root root 0 Jan 31 03:47 user -> 'user:[4026531837]'
lrwxrwxrwx 1 root root 0 Jan 31 03:47 uts -> 'uts:[4026531838]'
```

가

- Cgroup (cgroup)
- IPC (ipc)
- (network)
- (mnt)
- PID (pid)
- UTS (user)
- (uts)
- (time)

1
4026...

가

```
$ ls -l /proc/1074/ns
total 0
lrwxrwxrwx 1 root root 0 Jan 31 04:08 cgroup -> 'cgroup:[4026531835]'
lrwxrwxrwx 1 root root 0 Jan 31 04:08 ipc -> 'ipc:[4026531839]'
lrwxrwxrwx 1 root root 0 Jan 31 04:08 mnt -> 'mnt:[4026531840]'
```

```
lrwxrwxrwx 1 root root 0 Jan 31 04:08 net -> 'net:[4026531993]'  
lrwxrwxrwx 1 root root 0 Jan 31 04:08 pid -> 'pid:[4026531836]'  
lrwxrwxrwx 1 root root 0 Jan 31 04:08 pid_for_children -> 'pid:[4026531836]'  
lrwxrwxrwx 1 root root 0 Jan 31 04:08 user -> 'user:[4026531837]'  
lrwxrwxrwx 1 root root 0 Jan 31 04:08 uts -> 'uts:[4026531838]'
```

diff

```
$ diff <(ls -Al /proc/1/ns | awk '{ print $11 }') \  
<(ls -Al /proc/1074/ns | awk '{ print $11 }')
```

가

namespace	man	. man	SEE ALSO
-----------	-----	-------	----------

[namespaces\(7\) - Linux manual page](#)

- <https://www.44bits.io/ko/keyword/linux-namespace>
- <https://velog.io/@ji-jjang/%EB%A6%AC%EB%88%85%EC%8A%A4-namespace-%EC%9D%B4%ED%95%B4%ED%95%98%EA%B8%B0>

From:
<https://atl.kr/dokuwiki/> - **AllThatLinux!**



Permanent link:
https://atl.kr/dokuwiki/doku.php/linux_namespaces

Last update: **2024/08/01 04:12**