

<b>MariaDB DB</b>	<b>utf-8</b>	.....	3
		.....	4



# MariaDB DB

utf-8

MariaDB(Mysql)	DB	,	latin1	.	가
		,	utf-8	.	

```
MariaDB [(none)]> show variables like 'c%';
+-----+-----+
| Variable_name      | Value
+-----+-----+
| character_set_client | utf8
| character_set_connection | utf8
| character_set_database | latin1
| character_set_filesystem | binary
| character_set_results | utf8
| character_set_server | latin1
| character_set_system | utf8
| character_sets_dir | /usr/share/mysql/charsets/
| collation_connection | utf8_general_ci
| collation_database | latin1_swedish_ci
| collation_server | latin1_swedish_ci
| completion_type | NO_CHAIN
| concurrent_insert | AUTO
| connect_timeout | 10
+-----+-----+
14 rows in set (0.01 sec)
```

MariaDB

<https://mariadb.com/kb/en/mariadb/setting-character-sets-and-collations/>

latin1	utf-8	,	3	.	가
• /etc/my.cnf.d/client.cnf					

```
[client]
default-character-set=utf8
```

• /etc/my.cnf.d/mysql-clients.cnf

```
[mysql]
default-character-set=utf8

[mysqldump]
default-character-set=utf8
```

Last update: mariadb\_db\_2017/09/01 15:15 \_utf-8 https://atl.kr/dokuwiki/doku.php/mariadb\_db\_%EC%BA%90%EB%A6%AD%ED%84%B0%EC%85%8B%EC%9D%84\_utf-8%EC%9C%BC%EB%A1%9C\_%EC%84%A4%EC%A0%95%ED%95%98%EA%B8%B0

- /etc/my.cnf.d/server.cnf

```
[mysqld]
collation-server = utf8_unicode_ci
init-connect='SET NAMES utf8'
character-set-server = utf8
```

MariaDB	DB	, latin1	utf-8
,	.	utf-8	.
	database	insert	.

```
sudo systemctl restart mariadb --> MariaDB
```

```
MariaDB [(none)]> show variables like 'c%';
```

Variable_name	Value
character_set_client	utf8
character_set_connection	utf8
character_set_database	utf8
character_set_filesystem	binary
character_set_results	utf8
character_set_server	utf8
character_set_system	utf8
character_sets_dir	/usr/share/mysql/charsets/
collation_connection	utf8_general_ci
collation_database	utf8_unicode_ci
collation_server	utf8_unicode_ci
completion_type	NO_CHAIN
concurrent_insert	AUTO
connect_timeout	10

14 rows in set (0.00 sec)

- <https://slobell.com/blogs/38>

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/mariadb\\_db\\_%EC%BA%90%EB%A6%AD%ED%84%B0%EC%85%8B%EC%9D%84\\_utf-8%EC%9C%BC%EB%A1%9C\\_%EC%84%A4%EC%A0%95%ED%95%98%EA%B8%B0](https://atl.kr/dokuwiki/doku.php/mariadb_db_%EC%BA%90%EB%A6%AD%ED%84%B0%EC%85%8B%EC%9D%84_utf-8%EC%9C%BC%EB%A1%9C_%EC%84%A4%EC%A0%95%ED%95%98%EA%B8%B0)

Last update: 2017/09/01 15:15

