

..... 3

..... 3

..... 3



```
device-mapper: table: 253:26: multipath: error getting device
device-mapper: ioctl: error adding target to table
device-mapper: table: 253:66: multipath: error getting device
device-mapper: ioctl: error adding target to table
```

- RedHat Enterprise Linux 6.5
- device-mapper-multipath

: <https://access.redhat.com/solutions/38538>

```
# vim /etc/multipath.conf

blacklist {
    devnode "^(ram|raw|loop|fd|md|dm-|sr|scd|st)[0-9]*"
    devnode "^hd[a-z]"
    devnode "^sda$"
}
```

Or using the WWID of the device:

```
blacklist {
    devnode "^(ram|raw|loop|fd|md|dm-|sr|scd|st)[0-9]*"
    devnode "^hd[a-z]"
    wwid    "1234567890987654321"
}
```

```
# service multipathd reload
# multipath -v2
```

From:  
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:  
[https://atl.kr/dokuwiki/doku.php/multipath\\_error\\_getting\\_device\\_%EB%A9%94%EC%84%B8%EC%A7%80\\_%ED%98%84%EC%83%81](https://atl.kr/dokuwiki/doku.php/multipath_error_getting_device_%EB%A9%94%EC%84%B8%EC%A7%80_%ED%98%84%EC%83%81)

Last update: 2015/07/24 02:24

