

MySQL 5.6 Binary Installation 3
..... 4
..... 4
mysql 4
my.cnf 5

— 2016/02/16 10:29

MySQL 5.6 Binary Installation

: <http://dev.mysql.com/doc/refman/5.6/en/binary-installation.html>

CentOS 6

```

yum      apt-get
. (      )      MySQL      가      MySQL
etc / mysql      가      . /etc/my.cnf      /

```

```

MySQL      libaio      . mysql_install_db      mysqld_safe
      가      , Yum

shell> yum search libaio # search for info
shell> yum install libaio # install library

apt-get

shell> apt-cache search libaio # search for info
shell> apt-get install libaio1 # install library

```

Unix / Linux	MySQL
bin	mysqld
data	,
docs	Info
man	Unix
include	()
lib	
scripts	mysql_install_db
share	, SQL
sql-bench	


- MySQL 5.6 Binary tar.gz
- install libaio Library

MySQL

```
[user@host]# groupadd mysql
[user@host]# useradd -r -g mysql mysql
[user@host]# cd /usr/local
[user@host]# tar zxvf /path/to/mysql-VERSION-OS.tar.gz
[user@host]# ln -s full-path-to-mysql -VERSION-OS mysql
[user@host]# cd mysql
[user@host]# chown -R mysql.
[user@host]# chgrp -R mysql.
[user@host]# scripts/mysql_install_db --user=mysql
[user@host]# chown -R root.
[user@host]# chown -R mysql data
[user@host]# bin / mysqld_safe --user=mysql &

# Next command is optional
[user@host]# cp support-files/mysql.server /etc/init.d/mysql.server
```

mysql



```
[user@host]# groupadd dba
[user@host]# useradd -r -g dba mysql
```

```
( useradd 가 useradd -r 가 )
```

my.cnf

```
# For advice on how to change settings please see
# http://dev.mysql.com/doc/refman/5.6/en/server-configuration-defaults.html

[mysqld]
#
# Remove leading # and set to the amount of RAM for the most important data
# cache in MySQL. Start at 70% of total RAM for dedicated server, else 10%.
# innodb_buffer_pool_size = 128M
#
# Remove leading # to turn on a very important data integrity option:
logging
# changes to the binary log between backups.
# log_bin
#
# Remove leading # to set options mainly useful for reporting servers.
# The server defaults are faster for transactions and fast SELECTs.
# Adjust sizes as needed, experiment to find the optimal values.
# join_buffer_size = 128M
# sort_buffer_size = 2M
# read_rnd_buffer_size = 2M
datadir=/var/lib/mysql
socket=/var/lib/mysql/mysql.sock

# Disabling symbolic-links is recommended to prevent assorted security risks
symbolic-links=0

# Recommended in standard MySQL setup
sql_mode=NO_ENGINE_SUBSTITUTION,STRICT_TRANS_TABLES

[mysqld_safe]
log-error=/var/log/mysqld.log
pid-file=/var/run/mysqld/mysqld.pid
```

From:
<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:
https://atl.kr/dokuwiki/doku.php/mysql_5.6_binary_installation

Last update: **2016/02/16 02:48**

