

- MySQL 5.6 Binary Installation** 3
- 4
- 4
- mysql*** 4

— 2016/02/16 10:29

MySQL 5.6 Binary Installation

: <http://dev.mysql.com/doc/refman/5.6/en/binary-installation.html>

CentOS 6

```

yum      apt-get
. (      )      MySQL      가      MySQL
etc / mysql      가      . /etc/my.cnf      /

```

```

MySQL      libaio      , mysql_install_db      mysqld_safe
      가      , Yum

shell> yum search libaio # search for info
shell> yum install libaio # install library

apt-get

shell> apt-cache search libaio # search for info
shell> apt-get install libaio1 # install library

```

Unix / Linux	MySQL
bin	mysqld
data	,
docs	Info
man	Unix
include	()
lib	
scripts	mysql_install_db
share	, SQL
sql-bench	

- MySQL 5.6 Binary tar.gz
- install libaio Library

MySQL

```
[user@host]# groupadd mysql
[user@host]# useradd -r -g mysql mysql
[user@host]# cd /usr/local
[user@host]# tar zxvf /path/to/mysql-VERSION-OS.tar.gz
[user@host]# ln -s full-path-to-mysql -VERSION-OS mysql
[user@host]# cd mysql
[user@host]# chown -R mysql.
[user@host]# chgrp -R mysql.
[user@host]# scripts/mysql_install_db --user=mysql
[user@host]# chown -R root.
[user@host]# chown -R mysql data
[user@host]# bin / mysqld_safe --user=mysql &

# Next command is optional
[user@host]# cp support-files/mysql.server /etc/init.d/mysql.server
```

mysql

```
mysql
  dba      mysql
  ,
  adduser  addgroup
  dba      useradd  groupadd  Unix
```

```
[user@host]# groupadd dba
[user@host]# useradd -r -g dba mysql
```

```
( useradd 가 )
      useradd      -r
      가
```

From:

<https://atl.kr/dokuwiki/> - **AllThatLinux!**

Permanent link:

https://atl.kr/dokuwiki/doku.php/mysql_5.6_binary_installation?rev=1455589718

Last update: **2016/02/16 02:28**

